

Number: NSE4\_FGT-6.0  
Passing Score: 925  
Time Limit: 120 min  
File Version: 19.042

### Copyright

The product of each order has its own encryption code, so you should use it independently.  
If anyone who share the file we will disable the free update and account access.  
Any unauthorized changes will be inflicted legal punishment. We reserve the right of final explanation for this statement.

Order ID: \*\*\*\*\*  
PayPal Name: \*\*\*\*\*  
PayPal ID: \*\*\*\*\*

## Exam A

### QUESTION 1

Examine this output from a debug flow:

```
id=2 line=4677 msg= "vd-root received a packet (proto =6, 66.171.121.44:80->10.200.1.1:49886) from port1. flag [S.], seq 3567496940, ack 2176715502, win 5840"
id=2 line= 4739 msg= "Find an existing session, id-00007fc0, reply direction"
id=2 line= 2733 msg "DNAT 10.200.1.1:49886->10.0.1.10:49886"
id=2 line=2582 msg= "find a route: flag= 00000000 gw-10.0.1.10 via port3"
```

Which statements about the output are correct? (Choose two.)

- A. FortiGate received a TCP SYN/ACK packet.
- B. The source IP address of the packet was translated to 10.0.1.10.
- C. FortiGate routed the packet through port 3.
- D. The packet was allowed by the firewall policy with the ID 00007fc0.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

### QUESTION 2

Examine this FortiGate configuration:

```
config authentication setting
  set active-auth-scheme SCHEME1
end
config authentication rule
  edit WebProxyRule
    set srcaddr 10.0.1.0/24
    set active-auth-method SCHEME2
  next
end
```

How does the FortiGate handle web proxy traffic coming from the IP address 10.2.1.200 that requires authorization?

- A. It always authorizes the traffic without requiring authentication.
- B. It drops the traffic.
- C. It authenticates the traffic using the authentication scheme SCHEME2.
- D. It authenticates the traffic using the authentication scheme SCHEME1.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

### QUESTION 3

Which of the following are purposes of NAT traversal in IPsec? (Choose two.)

- A. To delete intermediary NAT devices in the tunnel path.
- B. To dynamically change phase 1 negotiation mode aggressive mode.
- C. To encapsulation ESP packets in UDP packets using port 4500.
- D. To force a new DH exchange with each phase 2 rekey.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

### QUESTION 4

Which of the following statements correctly describes FortiGates route lookup behavior when searching for a suitable gateway? (Choose two)

- A. Lookup is done on the trust packet from the session originator
- B. Lookup is done on the last packet sent from the re sender
- C. Lookup is done on every packet, regardless of direction
- D. Lookup is done on the trust reply packet from the re sender

**Correct Answer:** AB

**Section:** (none)

**Explanation**

**Explanation/Reference:**

### QUESTION 5

Examine the two static routes shown in the exhibit, then answer the following question.

Destination	Gateway	Interface	Priority	Distance
172.20.168.0/24	172.25.176.1	port1	10	20
172.20.168.0/24	172.25.178.1	port2	20	20

Which of the following is the expected FortiGate behavior regarding these two routes to the same destination?

- A. FortiGate will load balance all traffic across both routes.
- B. FortiGate will use the port1 route as the primary candidate.
- C. FortiGate will route twice as much traffic to the port2 route
- D. FortiGate will only actuate the port1 route in the routing table

**Correct Answer:** C  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 6**

Which of the following statements about central NAT are true? (Choose two.)


- A. IP tool references must be removed from existing firewall policies before enabling central NAT.
- B. Central NAT can be enabled or disabled from the CLI only.
- C. Source NAT, using central NAT, requires at least one central SNAT policy.
- D. Destination NAT, using central NAT, requires a VIP object as the destination address in a firewall policy.



**Correct Answer:** AB  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 7**

Refer to the following exhibit.





Why is FortiGate not blocking the test file over FTP download?

- A. Deep-inspection must be enabled for FortiGate to fully scan FTP traffic.
- B. FortiGate needs to be operating in flow-based inspection mode in order to scan FTP traffic.
- C. The FortiSandbox signature database is required to successfully scan FTP traffic.
- D. The proxy options profile needs to scan FTP traffic on a non-standard port.

**Correct Answer: D**



**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 8**

View the following exhibit, which shows the firewall policies and the object uses in the firewall policies.



The administrator is using the Policy Lookup feature and has entered the search criteria shown in the following exhibit.



Which of the following will be highlighted based on the input criteria?

- A. Policy with ID 1.
- B. Policies with ID 2 and 3.
- C. Policy with ID 5.
- D. Policy with ID 4

**Correct Answer: B**  
**Section: (none)**  
**Explanation**

**Explanation/Reference:**

**QUESTION 9**

An administrator wants to create a policy-based IPsec VPN tunnel between two FortiGate devices. Which configuration steps must be performed on both devices to support this scenario? (Choose three.)

- A. Define the phase 1 parameters, without enabling IPsec interface mode
- B. Define the phase 2 parameters.
- C. Set the phase 2 encapsulation method to transport mode
- D. Define at least one firewall policy, with the action set to IPsec.
- E. Define a route to the remote network over the IPsec tunnel.

**Correct Answer:** CDE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 10**

Which of the following statements about NTLM authentication are correct? (Choose two.)

- A. It is useful when users log in to DCs that are not monitored by a collector agent.
- B. It takes over as the primary authentication method when configured alongside FSSO.
- C. Multi-domain environments require DC agents on every domain controller.
- D. NTLM-enabled web browsers are required.

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 11**

View the certificate shown to the exhibit, and then answer the following question:

Field	Value
Version	V3
Serial Number	98765432
Signature algorithm	SHA256RSA
Issuer	cn=RootCA,o=BridgeAuthority, Inc.,c=US
Valid from	Tuesday, October 3, 2016 4:33:37 PM
Valid to	Wednesday, October 2, 2019 5:03:37 PM
Subject	cn=John Doe, o=ABC, Inc.,c=US
Public key	RSA (2048 bits)
Key Usage	keyCertSign
Extended Key Usage	Server Authentication (1.3.6.1.5.5.7.3.1), Client Authentication (1.3.6.1.5.5.7.3.2)
Basic Constraints	CA=True, Path Constraint=None
CRL Distribution Points	URL=http://webserver.abcinc.com/arcert.crl

The CA issued this certificate to which entity?

- A. A root CA
- B. A person
- C. A bridge CA
- D. A subordinate CA

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 12**

Why does FortiGate keep TCP sessions in the session table for some seconds even after both sides (client and server) have terminated the session?

- A. To remove the NAT operation.
- B. To generate logs
- C. To finish any inspection operations.
- D. To allow for out-of-order packets that could arrive after the FIN/ACK packets.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 13**

A FortiGate is operating in NAT mode and configured with two virtual LAN (VLAN) sub interfaces added to the physical interface. Which statements about the VLAN sub interfaces can have the same VLAN ID, only if they have IP addresses in different subnets.

- A. The two VLAN sub interfaces can have the same VLAN ID, only if they have IP addresses in different subnets.
- B. The two VLAN sub interfaces must have different VLAN IDs.
- C. The two VLAN sub interfaces can have the same VLAN ID, only if they belong to different VDOMs.
- D. The two VLAN sub interfaces can have the same VLAN ID, only if they have IP addresses in the same subnet.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 14**

You are tasked to design a new IPsec deployment with the following criteria:

- There are two HQ sites that all satellite offices must connect to
- The satellite offices do not need to communicate directly with other satellite offices
- No dynamic routing will be used
- The design should minimize the number of tunnels being configured.

Which topology should be used to satisfy all of the requirements?

- A. Partial mesh
- B. Hub-and-spoke
- C. Fully meshed
- D. Redundant

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 15**

Which of the following statements is true regarding SSL VPN settings for an SSL VPN portal?

- A. By default, FortiGate uses WINS servers to resolve names.
- B. By default, the SSL VPN portal requires the installation of a client's certificate.
- C. By default, split tunneling is enabled.
- D. By default, the admin GUI and SSL VPN portal use the same HTTPS port.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 16**

Which of the following conditions must be met in order for a web browser to trust a web server certificate signed by a third-party CA?

- A. The web-server certificate must be installed on the browser
- B. The public key of the web server certificate must be installed on the browser
- C. The CA certificate that signed the web-server certificate must be installed on the browser
- D. The private key of the CA certificate that signed the browser certificate must be installed on the browser.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 17**

When using WPAD DNS method, which FQDN format do browsers use to query the DNS server?

A)

```
srv_proxy.<local-domain>/wpad.dat
```

B)

```
srv_tcp.wpad.<local-domain>
```

C)

wpad.<local-domain>

D)

proxy.<local-domain>.wpad



- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Correct Answer:** C  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 18**

Examine the IPS sensor configuration and forward traffic logs shown in the exhibit; then, answer the question below.



An administrator has configured the WINDOS\_SERVERS IPS sensor in an attempt to determine whether the influx of HTTPS traffic is an attack attempt or not. After applying the IPS sensor, FortiGate is still not generating any IPS logs for the HTTPS traffic. What is a possible reason for this?

- A. The IPS filter is missing the Protocol: HTTPS option.
- B. The HTTPS signatures have not been added to the sensor.
- C. A DoS policy should be used, instead of an IPS sensor.
- D. A DoS policy should be used, instead of an IPS sensor.
- E. The firewall policy is not using a full SSL inspection profile.

**Correct Answer:** E  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 19**

What types of traffic and attacks can be blocked by a web application firewall (WAF) profile? (Choose three.)

- A. Traffic to botnet servers
- B. Traffic to inappropriate web sites
- C. Server information disclosure attacks
- D. Credit card data leaks
- E. SQL injection attacks

**Correct Answer:** ACE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 20

Which statement about DLP on FortiGate is true?

- A. It can archive files and messages.
- B. It can be applied to a firewall policy in a flow-based VDOM
- C. Traffic shaping can be applied to DLP sensors.
- D. Files can be sent to FortiSandbox for detecting DLP threats.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 21

Examine this PAC file configuration.

```
function FindProxyForURL (url, host) {
  if (shExpMatch (url, "*.fortinet.com/*")) {
    return "DIRECT";}
  if (isInNet (host, "172.25.120.0", "255.255.255.0")) {
    return "PROXY altproxy.corp.com: 8060";}
  return "PROXY proxy.corp.com: 8090";
}
```

Which of the following statements are true? (Choose two.)

- A. Browsers can be configured to retrieve this PAC file from the FortiGate.
- B. Any web request to the 172.25.120.0/24 subnet is allowed to bypass the proxy.
- C. All requests not made to Fortinet.com or the 172.25.120.0/24 subnet, have to go through altproxy.corp.com: 8060.
- D. Any web request fortinet.com is allowed to bypass the proxy.

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 22

Which statements about the firmware upgrade process on an active-active HA cluster are true? (Choose two.)

- A. The firmware image must be manually uploaded to each FortiGate.
- B. Only secondary FortiGate devices are rebooted.
- C. Uninterruptable upgrade is enabled by default.
- D. Traffic load balancing is temporally disabled while upgrading the firmware.

**Correct Answer:** BD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 23

Which statements best describe auto discovery VPN (ADVPN). (Choose two.)

- A. It requires the use of dynamic routing protocols so that spokes can learn the routes to other spokes.
- B. ADVPN is only supported with IKEv2.
- C. Tunnels are negotiated dynamically between spokes.
- D. Every spoke requires a static tunnel to be configured to other spokes so that phase 1 and phase 2 proposals are defined in advance.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 24**

An administrator needs to create an SSL-VPN connection for accessing an internal server using the bookmark Port Forward. What step is required for this configuration?

- A. Configure an SSL VPN realm for clients to use the port forward bookmark.
- B. Configure the client application to forward IP traffic through FortiClient.
- C. Configure the virtual IP address to be assigned to the SSL VPN users.
- D. Configure the client application to forward IP traffic to a Java applet proxy.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 25**

What FortiGate configuration is required to actively prompt users for credentials?

- A. You must enable one or more protocols that support active authentication on a firewall policy
- B. You must position the firewall policy for active authentication before a firewall policy for passive authentication.
- C. You must assign users to a group for active authentication
- D. You must enable the Authentication setting on the firewall policy

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 26**

Which statements are true regarding firewall policy NAT using the outgoing interface IP address with fixed port disabled? (Choose two.)

- A. This is known as many-to-one NAT.
- B. Source IP is translated to the outgoing interface IP.
- C. Connections are tracked using source port and source MAC address.
- D. Port address translation is not used.

**Correct Answer:** BD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 27**

If the Issuer and Subject values are the same in a digital certificate, which type of entity was the certificate issued to?

- A. A CRL
- B. A person
- C. A subordinate CA
- D. A root CA

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 28**

What is the limitation of using a URL list and application control on the same firewall policy, in NCFW policy-based mode?

- A. It limits the scope of application control to the browser-based technology category only.
- B. It limits the scope of application control to scan application traffic based on application category only.
- C. It limits the scope of application control to scan application traffic using parent signatures only
- D. It limits the scope of application control to scan application traffic on DNS protocol only.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 29**

The FSSO Collector Agent set to advanced access mode for the Windows Active Directory uses which of the following?

- A. LDAP convention
- B. NTLM convention
- C. Windows convention - NetBios: Domain\Username
- D. RSSO convention

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 30**

Examine the following web filtering log.

```
Date=2016-08-31 time=12:50:06 logid=0316013057 type=utm subtype=webfilter eventtype=ftgd_blk level=warning
vd=root policyid=1 sessionid=149645 user= " " scrip=10.0.1.10 srcport=52919 srcintf= "port3"
dstip=54.230.128.169 dstport=80 dstintf= "port1" proto=6 service="HTTP" hostname= "miniclip.com"
profile= "default" action=blocked reqtype=direct url= "/" sentbyte=286 rcvdbyte=0 direction=outgoing msg= "URL
belongs to a category with warnings enabled" method=domain cat=20 catdesc="Games" crscore=30 crlevel=high
```

Which statement about the log message is true?

- A. The action for the category Games is set to block.
- B. The usage quota for the IP address 10.0.1.10 has expired.
- C. The name of the applied web filter profile is default.
- D. The web site miniclip.com matches a static URL filter whose action is set to Warning.

**Correct Answer: D**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 31**

Which of the following SD-WAN load balancing method use interface weight value to distribute traffic? (Choose two.)

- A. Source IP
- B. Spillover
- C. Volume
- D. Session

**Correct Answer: CD**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 32**

Which is a requirement for creating an inter-VDOM link between two VDOMs?

- A. The inspection mode of at least one VDOM must be proxy-based.
- B. At least one of the VDOMs must operate in NAT mode.
- C. The inspection mode of both VDOMs must match.
- D. Both VDOMs must operate in NAT mode.

**Correct Answer: A**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 33**

Which statement regarding the firewall policy authentication timeout is true?

- A. It is an idle timeout. The FortiGate considers a user to be "idle" if it does not see any packets coming from the user's source IP.
- B. It is a hard timeout. The FortiGate removes the temporary policy for a user's source IP address after this timer has expired.
- C. It is an idle timeout. The FortiGate considers a user to be "idle" if it does not see any packets coming from the user's source MAC.
- D. It is a hard timeout. The FortiGate removes the temporary policy for a user's source MAC address after this timer has expired.

**Correct Answer: A**

**Section: (none)**


**Explanation**


**Explanation/Reference:**

**QUESTION 34**


Examine the exhibit, which contains a virtual IP and firewall policy configuration.

**Network Diagram**



Name  

Comments  0/255

Color 

---

Network

Interface

Type Static NAT

External IP Address/Range  -

Mapped IP Address/Range  -

Optional Filters

Port Forwarding

## Firewall Policies

ID	Name	Source	Destination	Schedule	Service	Action	NAT
  LAN(port2) →  WAN(port1) ①							
1	Full_Access	 all	 all	 always	 ALL	 ACCEPT	 Enabled
  LAN(port 1) →  WAN(port 2) ①							
2	WebServer	 all	 VIP	 always	 ALL	 ACCEPT	 Disabled

The WAN (port1) interface has the IP address 10.200.1.1/24. The LAN (port2) interface has the IP address 10.0.1.254/24. The first firewall policy has NAT enabled on the outgoing interface address. The second firewall policy is configured with a VIP as the destination address. Which IP address will be used to source NAT the Internet traffic coming from a workstation with the IP address 10.0.1.10/24?

- A. 10.200.1.10
- B. Any available IP address in the WAN (port1) subnet 10.200.1.0/24
- C. 10.200.1.1
- D. 10.0.1.254

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

### QUESTION 35

What FortiGate components are tested during the hardware test? (Choose three.)

- A. Administrative access
- B. HA heartbeat
- C. CPU
- D. Hard disk
- E. Network interfaces

**Correct Answer:** CDE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

### QUESTION 36

How do you format the FortiGate flash disk?

- A. Load a debug FortiOS image.
- B. Load the hardware test (HQIP) image.
- C. Execute the CLI command execute formatlogdisk.
- D. Select the format boot device option from the BIOS menu.

**Correct Answer:** D

**Section:** (none)

**Explanation**

Explanation/Reference:

**QUESTION 37**

Which of the following are valid actions for FortiGuard category based filter in a web filter profile ui proxy-based inspection mode? (Choose two.)

- A. Warning
- B. Exempt
- C. Allow
- D. Learn

**Correct Answer:** AC


**Section:** (none)

**Explanation**

Explanation/Reference:

**QUESTION 38**

Examine the IPS sensor and DoS policy configuration shown in the exhibit, then answer the question below.



When detecting attacks, which anomaly, signature, or filter will FortiGate evaluate first?

- A. SMTP.Login.Brute.Force
- B. IMAP.Login.brute.Force
- C. ip\_src\_session
- D. Location: server Protocol: SMTP

**Correct Answer:** B

**Section:** (none)

**Explanation**

Explanation/Reference:

**QUESTION 39**

NGFW mode allows policy-based configured for most impaction rules. Which security profile's configuration does not change when you enable policy-based impaction?

- A. Antivirus
- B. Web proxy
- C. Web filtering
- D. Application control

**Correct Answer:** D

**Section:** (none)

**Explanation**

Explanation/Reference:

**QUESTION 40**

Which of the following FortiGate configuration tasks will create a route in the policy route table? (Choose two.)

- A. Static route created with a Named Address object
- B. Static route created with an Internet Services object
- C. SD-WAN route created for individual member interfaces
- D. SD-WAN rule created to route traffic based on link latency

**Correct Answer:** AD

**Section:** (none)

**Explanation**

Explanation/Reference:

**QUESTION 41**

Which statement about the IP authentication header (AH) used by IPsec is true?

- A. AH does not provide any data integrity or encryption.
- B. AH does not support perfect forward secrecy.
- C. AH provides data integrity but no encryption.
- D. AH provides strong data integrity but weak encryption.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 42**

If the Services field is configured in a Virtual IP (VIP), which of the following statements is true when central NAT is used?

- A. The Services field removes the requirement of creating multiple VIPs for different services.
- B. The Services field is used when several VIPs need to be bundled into VIP groups.
- C. The Services field does not allow source NAT and destination NAT to be combined in the same policy.
- D. The Services field does not allow multiple sources of traffic, to use multiple services, to connect to a single computer.

**Correct Answer:** A


**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 43**

Examine this explicit web proxy configuration:



What filter can be used with the command diagnose sniffer packet to capture the traffic between the client and the explicit web proxy?

- A. `host 10.0.0.50 and port 80`
- B. `host 192.168.0.1 and port 80`
- C. `host 192.168.0.2 and port 8080`
- D. `host 10.0.50.1 and port 8080`

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 44**

View the exhibit.

Status	Name	Type	Virtual Domain	IP/Netmask
<b>Physical (10)</b>				
	port1	Physical Interface	VDOM2	10.200.1.1 255.255.0
	port2	Physical Interface	VDOM1	
<b>VDOM Link (3)</b>				
	InterVDOM	VDOM Link	VDOM1, VDOM2	
	InterVDOM0	VDOM Link Interface	VDOM1	
	InterVDOM1	VDOM Link Interface	VDOM2	10.0.1.254 255.255.255.0

VDOM1 is operating in transparent mode VDOM2 is operating in NAT Route mode. There is an inter- VDOM link between both VDOMs. A client workstation with the IP address 10.0.1.10/24 is connected to port2. A web server with the IP address 10.200.1.2/24 is connected to port1. What is required in the FortiGate configuration to route and allow connections from the client workstation to the web server? (Choose two.)

- A. A static or dynamic route in VDOM2 with the subnet 10.0.1.0/24 as the destination.
- B. A static or dynamic route in VDOM1 with the subnet 10.200.1.0/24 as the destination.
- C. One firewall policy in VDOM1 with port2 as the source interface and InterVDOM0 as the destination interface.
- D. One firewall policy in VDOM2 with InterVDOM1 as the source interface and port1 as the destination interface.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 45**

View the exhibit.

Destination Subnet Named Address Internet Service

172.13.24.0/255.255.255.0

Interface  TunnelB

Administrative Distance 5

Comments  0/255

Status  Enabled  Disabled

**Advanced Options**

Priority

Destination Subnet Named Address Internet Service

172.13.24.0/255.255.255.0

Interface  TunnelA

Administrative Distance 10

Comments  0/255

Status  Enabled  Disabled

**Advanced Options**

Priority

Which of the following statements are correct? (Choose two.)

- A. This setup requires at least two firewall policies with the action set to IPsec.
- B. Dead peer detection must be disabled to support this type of IPsec setup.
- C. The TunnelB route is the primary route for reaching the remote site. The TunnelA route is used only if the TunnelB VPN is down.
- D. This is a redundant IPsec setup.

**Correct Answer:** CD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 46**

What criteria does FortiGate use to look for a matching firewall policy to process traffic? (Choose two.)

- A. Services defined in the firewall policy.
- B. Incoming and outgoing interfaces
- C. Highest to lowest priority defined in the firewall policy.
- D. Lowest to highest policy ID number.

**Correct Answer:** BC


**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 47**

View the exhibit.



A user behind the FortiGate is trying to go to <http://www.addictinggames.com> (Addicting.Games). Based on this configuration, which statement is true?

- A. Addicting.Games is allowed based on the Application Overrides configuration.
- B. Addicting.Games is blocked based on the Filter Overrides configuration.
- C. Addicting.Games can be allowed only if the Filter Overrides actions is set to Exempt.
- D. Addicting.Games is allowed based on the Categories configuration.

**Correct Answer: A**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 48**

Which of the following static routes are not maintained in the routing table? (Choose two.)

- A. Named Address routes
- B. Dynamic routes
- C. ISDB routes
- D. Policy routes

**Correct Answer: BD**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 49**

Which Statements about virtual domains (VDMs) are true? (Choose two.)

- A. Transparent mode and NAT/Route mode VDMs cannot be combined on the same FortiGate.
- B. Each VDM can be configured with different system hostnames.
- C. Different VLAN sub-interfaces of the same physical interface can be assigned to different VDMs.
- D. Each VDM has its own routing table.

**Correct Answer: CD**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 50**

An administrator wants to configure a FortiGate as a DNS server. FortiGate must use its DNS database first, and then relay all irresolvable queries to an external DNS server. Which of the following DNS methods must you use?

- A. Recursive
- B. Non-recursive
- C. Forward to primary and secondary DNS
- D. Forward to system DNS

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 51**

What files are sent to FortiSandbox for inspection in flow-based inspection mode?

- A. All suspicious files that do not have their hash value in the FortiGuard antivirus signature database.
- B. All suspicious files that are above the defined oversize limit value in the protocol options.
- C. All suspicious files that match patterns defined in the antivirus profile.
- D. All suspicious files that are allowed to be submitted to FortiSandbox in the antivirus profile.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 52**

Which statements about a One-to-One IP pool are true? (Choose two.)

- A. It is used for destination NAT.
- B. It allows the fixed mapping of an internal address range to an external address range.
- C. It does not use port address translation.
- D. It allows the configuration of ARP replies.

**Correct Answer:** BC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 53**

A company needs to provide SSL VPN access to two user groups. The company also needs to display different welcome messages on the SSL VPN login screen for both user groups. What is required in the SSL VPN configuration to meet these requirements?

- A. Different SSL VPN realms for each group.
- B. Two separate SSL VPNs in different interfaces mapping the same ssl.root.
- C. Two firewall policies with different captive portals.
- D. Different virtual SSL VPN IP addresses for each group.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 54**

An administrator is investigating a report of users having intermittent issues with browsing the web. The administrator ran diagnostics and received the output shown in the exhibit.

```
# diagnose sys session stat
misc info: session_count=16 setup_rate=0 exp_count=0 clash=889
memory_tension_drop=0 ephemeral=1/16384 removeable=3
delete=0, flush=0, dev_down=16/69
firewall error stat:
error1=00000000
error2=00000000
error3=00000000
error4=00000000
tt=00000000
cont=0005e722
ids_rcv=000fdc94
url_rcv=00000000
av_rcv=001fee47
fqdn_count=00000000
tcp reset stat: syncqf=119 acceptqf=0 no-listener=3995 data=0 ses=2 ips=0
global: ses_limit=0 ses6_limit=0 rt_limit=0 rt6_limit=0
```

Examine the diagnostic output shown exhibit. Which of the following options is the most likely cause of this issue?

- A. NAT port exhaustion
- B. High CPU usage
- C. High memory usage
- D. High session timeout value

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 55**

An administrator has configured central DNAT and virtual IPs. Which of the following can be selected in the firewall policy Destination field?

- A. A VIP group
- B. The mapped IP address object of the VIP object
- C. A VIP object
- D. An IP pool

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 56**

An administrator needs to strengthen the security for SSL VPN access. Which of the following statements are best practices to do so? (Choose three.)

- A. Configure split tunneling for content inspection.
- B. Configure host restrictions by IP or MAC address.
- C. Configure two-factor authentication using security certificates.
- D. Configure SSL offloading to a content processor (FortiASIC).
- E. Configure a client integrity check (host-check).

**Correct Answer:** CDE

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 57**

Which statement about FortiGuard services for FortiGate is true?

- A. The web filtering database is downloaded locally on FortiGate.
- B. Antivirus signatures are downloaded locally on FortiGate.
- C. FortiGate downloads IPS updates using UDP port 53 or 8888.
- D. FortiAnalyzer can be configured as a local FDN to provide antivirus and IPS updates.

**Correct Answer:** B

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 58**

Which of the following route attributes must be equal for static routes to be eligible for equal cost multipath (ECMP) routing? (Choose two.)

- A. Priority
- B. Metric
- C. Distance
- D. Cost

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 59**

View the exhibit.

```

Local-FortiGate # diagnose sys ha checksum cluster

===== FGVM010000058290 =====

is_manage_master()=1, is_root_master()=1
debugzone
global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd
root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 42 a9 7d
all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 13 c1 35

checksum
global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd
root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 42 a9 7d
all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 13 c1 35

===== FGVM010000058289 =====

is_manage_master()=0, is_root_master()=0
debugzone
global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd
root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 8a 55 8b
all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 dc 9a 43

checksum
global: 85 26 52 f2 f9 6e 3c c9 f5 21 1a 78 69 b6 20 bd
root: 30 51 63 1b 2d ef 77 aa f7 50 00 25 4d 8a 55 8b
all: 38 28 3d e4 24 8f 5b 10 8a 64 30 f2 34 dc 9a 43

```

Based on this output, which statements are correct? (Choose two.)

- A. The all VDOM is not synchronized between the primary and secondary FortiGate devices.
- B. The root VDOM is not synchronized between the primary and secondary FortiGate devices.
- C. The global configuration is synchronized between the primary and secondary FortiGate devices.
- D. The FortiGate devices have three VDOMs.

**Correct Answer:** CD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 60

Which statement is true regarding the policy ID number of a firewall policy?

- A. Defines the order in which rules are processed.
- B. Represents the number of objects used in the firewall policy.
- C. Required to modify a firewall policy using the CLI.
- D. Changes when firewall policies are reordered.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 61

An administrator wants to block HTTP uploads. Examine the exhibit, which contains the proxy address created for that purpose.

**Edit Address**

Category: Address **Proxy Address**

Name: Training

Color: Change

Type: HTTP Method

Host: all

Request Method: GET, HEAD, OPTIONS, **POST**

Show in Address List:

Comments:  0/255

Tags:  Add Tag Category

OK Cancel

Where must the proxy address be used?

- A. As the source in a firewall policy.
- B. As the source in a proxy policy.
- C. As the destination in a firewall policy.
- D. As the destination in a proxy policy.

**Correct Answer: B**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 62**

Which statement is true regarding SSL VPN timers? (Choose two.)

- A. Allow to mitigate DoS attacks from partial HTTP requests.
- B. SSL VPN settings do not have customizable timers.
- C. Disconnect idle SSL VPN users when a firewall policy authentication timeout occurs.
- D. Prevent SSL VPN users from being logged out because of high network latency.

**Correct Answer: AD**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 63**

An administrator has configured two VLAN interfaces:

```

config system interface
  edit "VLAN10"
    set vdom "VDM1"
    set forward-domain 100
    set role lan
    set interface "port9"
    set vlanid 10
  next
  edit "VLAN5"
    set vdom "VDM1"
    set forward-domain 50
    set role lan
    set interface "port10"
    set vlanid 5
  next
end

```

A DHCP server is connected to the VLAN10 interface. A DHCP client is connected to the VLAN5 interface. However, the DHCP client cannot get a dynamic IP address from the DHCP server. What is the cause of the problem?

- A. Both interfaces must belong to the same forward domain.
- B. The role of the VLAN10 interface must be set to server.
- C. Both interfaces must have the same VLAN ID.
- D. Both interfaces must be in different VDOMs.

**Correct Answer:** A  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

#### QUESTION 64

Which of the following statements about virtual domains (VDOMs) are true? (Choose two.)

- A. The root VDOM is the management VDOM by default.
- B. A FortiGate device has 64 VDOMs, created by default.
- C. Each VDOM maintains its own system time.
- D. Each VDOM maintains its own routing table.

**Correct Answer:** AD  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

#### QUESTION 65

Which statements correctly describe transparent mode operation? (Choose three.)

- A. All interfaces of the transparent mode FortiGate device must be on different IP subnets.
- B. Ethernet packets are forwarded based on destination MAC addresses, not IP addresses.
- C. The transparent FortiGate is visible to network hosts in an IP traceroute.
- D. It permits inline traffic inspection and firewalling without changing the IP scheme of the network.
- E. FortiGate acts as transparent bridge and forwards traffic at Layer 2.

**Correct Answer:** BDE  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

#### QUESTION 66

Which one of the following processes is involved in updating IPS from FortiGuard?

- A. FortiGate IPS update requests are sent using UDP port 443.
- B. Protocol decoder update requests are sent to service.fortiguards.net.
- C. IPS signature update requests are sent to update.fortiguards.net.
- D. IPS engine updates can only be obtained using push updates.

**Correct Answer:** C  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

#### QUESTION 67

How does FortiGate select the central SNAT policy that is applied to a TCP session?

- A. It selects the SNAT policy specified in the configuration of the outgoing interface.
- B. It selects the first matching central SNAT policy, reviewing from top to bottom.
- C. It selects the central SNAT policy with the lowest priority.
- D. It selects the SNAT policy specified in the configuration of the firewall policy that matches the traffic.

**Correct Answer:** B  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

#### QUESTION 68

Which of the following conditions are required for establishing an IPSec VPN between two FortiGate devices? (Choose two.)

- A. If XAuth is enabled as a server in one peer, it must be enabled as a client in the other peer.
- B. If the VPN is configured as route-based, there must be at least one firewall policy with the action set to IPSec.
- C. If the VPN is configured as DialUp User in one peer, it must be configured as either Static IP Address or Dynamic DNS in the other peer.
- D. If the VPN is configured as a policy-based in one peer, it must also be configured as policy-based in the other peer.

**Correct Answer:** BC  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 69**

Which of the following statements about converse mode are true? (Choose two.)

- A. FortiGate stops sending files to FortiSandbox for inspection.
- B. FortiGate stops doing RPF checks over incoming packets.
- C. Administrators cannot change the configuration.
- D. Administrators can access the FortiGate only through the console port.

**Correct Answer:** AB

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 70**

View the exhibit.

```

192.168.2.1 - PuTTY
login as: admin
Local-FortiGate #
Local-FortiGate # config vdom

Local-FortiGate (vdom) # edit root
current vf=root:0

Local-FortiGate (root) # config system global

command parse error before 'global'
Command fail. Return code 1

Local-FortiGate (root) #
  
```

Why is the administrator getting the error shown in the exhibit?

- A. The administrator must first enter the command edit global.
- B. The administrator admin does not have the privileges required to configure global settings.
- C. The global settings cannot be configured from the root VDOM context.
- D. The command config system global does not exist in FortiGate.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 71**

Examine the network diagram and the existing FGTI routing table shown in the exhibit, and then answer the following question:



```

FGT1 # get router info routing-table all
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
* - candidate default;

S    172.20.0.0/16 [10/0] via 172.21.1.2, port2
C    172.21.0.0/16 is directly connected, port2
C    172.11.11.0/24 is directly connected, port1
  
```

An administrator has added the following static route on FGT1.

**New Static Route**

Destination ⓘ **Subnet** Named Address Internet Service  
 172.20.1.0/24

Gateway 172.11.12.1

Interface port1

Administrative Distance ⓘ 10

Comments 0/255

Status **Enabled** Disabled

**Advanced Options**

Priority ⓘ 0

Since the change, the new static route is not showing up in the routing table. Given the information provided, which of the following describes the cause of this problem?

- A. The new route's destination subnet overlaps an existing route.
- B. The new route's Distance value should be higher than 10.
- C. The Gateway IP address is not in the same subnet as port1.
- D. The Priority is 0, which means that this route will remain inactive.

**Correct Answer:** C  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 72**

Which configuration objects can be selected for the Source field of a firewall policy? (Choose two.)

- A. Firewall service
- B. User or user group
- C. IP Pool
- D. FQDN address

**Correct Answer:** BC  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 73**

View the exhibit.

**Admission Control**

Security Mode Captive Portal

Authentication Portal **Local** External

User Access ⓘ Restricted to Groups **Allow all**

Which users and user groups are allowed access to the network through captive portal?

- A. Users and groups defined in the firewall policy.
- B. Only individual users ?not groups ?defined in the captive portal configuration
- C. Groups defined in the captive portal configuration
- D. All users

**Correct Answer:** C  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 74**

NGFW mode allows policy-based configuration for most inspection rules. Which security profile's configuration does not change when you enable policy-based inspection?

- A. Web filtering
- B. Antivirus
- C. Web proxy
- D. Application control

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 75**

During the digital verification process, comparing the original and fresh hash results satisfies which security requirement?

- A. Authentication.
- B. Data integrity.
- C. Non-repudiation.
- D. Signature verification.

**Correct Answer: D**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 76**

An administration wants to throttle the total volume of SMTP sessions to their email server. Which of the following DoS sensors can be used to achieve this?

- A. tcp\_port\_scan
- B. ip\_dst\_session
- C. udp\_flood
- D. ip\_src\_session

**Correct Answer: A**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 77**

Why must you use aggressive mode when a local FortiGate IPSec gateway hosts multiple dialup tunnels?

- A. In aggressive mode, the remote peers are able to provide their peer IDs in the first message.
- B. FortiGate is able to handle NATed connections only in aggressive mode.
- C. FortiClient only supports aggressive mode.
- D. Main mode does not support XAuth for user authentication.

**Correct Answer: A**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 78**

View the exhibit:



The client cannot connect to the HTTP web server. The administrator ran the FortiGate built-in sniffer and got the following output:

```
FortiGate # diagnose sniffer packet any "port 80" 4
interfaces=[any]
filters=[port 80]
11.510058 port3 in 10.0.1.10.49255 -> 10.200.1.254.80: syn 697263124
11.760531 port3 in 10.0.1.10.49256 -> 10.200.1.254.80: syn 868017830
14.505371 port3 in 10.0.1.10.49255 -> 10.200.1.254.80: syn 697263124
11.755510 port3 in 10.0.1.10.49256 -> 10.200.1.254.80: syn 868017830
```

What should be done next to troubleshoot the problem?

- A. Run a sniffer in the web server.
- B. Execute another sniffer in the FortiGate, this time with the filter "host 10.0.1.10".
- C. Capture the traffic using an external sniffer connected to port1.
- D. Execute a debug flow.

**Correct Answer: C**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 79**

Which of the following statements about policy-based IPsec tunnels are true? (Choose two.)

- A. They can be configured in both NAT/Route and transparent operation modes.

- B. They support L2TP-over-IPsec.
- C. They require two firewall policies: one for each directions of traffic flow.
- D. They support GRE-over-IPsec.

**Correct Answer:** AB

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 80**

An employee connects to the https://example.com on the Internet using a web browser. The web server's certificate was signed by a private internal CA. The FortiGate that is inspecting this traffic is configured for full SSL inspection. This exhibit shows the configuration settings for the SSL/SSH inspection profile that is applied to the policy that is invoked in this instance. All other settings are set to defaults. No certificates have been imported into FortiGate. View the exhibit and answer the question that follows.

The screenshot shows the configuration for a new SSL/SSH inspection profile named "Training". Under the "SSL Inspection Options" section, the "Enable SSL Inspection of" dropdown is set to "Multiple Clients Connecting to Multiple Servers". The "Inspection Method" dropdown is set to "Full SSL Inspection". The "CA Certificate" dropdown is set to "Fortinet\_CA\_SSL", with a "Download Certificate" button next to it. At the bottom, there are buttons for "Allow", "Block", and "View Trusted CAs List".

Which certificate is presented to the employee's web browser?

- A. The web server's certificate.
- B. The user's personal certificate signed by a private internal CA.
- C. A certificate signed by Fortinet\_CA\_SSL.
- D. A certificate signed by Fortinet\_CA\_Untrusted.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 81**

When override is enabled, which of the following shows the process and selection criteria that are used to elect the primary FortiGate in an HA cluster?

- A. Connected monitored ports > HA uptime > priority > serial number
- B. Priority > Connected monitored ports > HA uptime > serial number
- C. Connected monitored ports > priority > HA uptime > serial number
- D. HA uptime > priority > Connected monitored ports > serial number

**Correct Answer:** C


**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 82**

Examine the IPS sensor configuration shown in the exhibit, and then answer the question below.



What are the expected actions if traffic matches this IPS sensor? (Choose two.)

- A. The sensor will gather a packet log for all matched traffic.
- B. The sensor will not block attackers matching the A32S.Botnet signature.
- C. The sensor will block all attacks for Windows servers.
- D. The sensor will reset all connections that match these signatures.

**Correct Answer:** AC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 83

How can you block or allow to Twitter using a firewall policy?

- A. Configure the Destination field as Internet Service objects for Twitter.
- B. Configure the Action field as Learn and select Twitter.
- C. Configure the Service field as Internet Service objects for Twitter.
- D. Configure the Source field as Internet Service objects for Twitter.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 84

Which statements about HA for FortiGate devices are true? (Choose two.)

- A. Sessions handled by proxy-based security profiles cannot be synchronized.
- B. Virtual clustering can be configured between two FortiGate devices that have multiple VDOMs.
- C. HA management interface settings are synchronized between cluster members.
- D. Heartbeat interfaces are not required on the primary device.

**Correct Answer:** BC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 85

An administrator is configuring an antivirus profiles on FortiGate and notices that Proxy Options is not listed under Security Profiles on the GUI. What can cause this issue?

- A. FortiGate needs to be switched to NGFW mode.
- B. Proxy options section is hidden by default and needs to be enabled from the Feature Visibility menu.
- C. Proxy options are no longer available starting in FortiOS 5.6.
- D. FortiGate is in flow-based inspection mode.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 86

An administrator has configured a route-based IPsec VPN between two FortiGate devices. Which statement about this IPsec VPN configuration is true?

- A. A phase 2 configuration is not required.
- B. This VPN cannot be used as part of a hub-and-spoke topology.

- C. A virtual IPsec interface is automatically created after the phase 1 configuration is completed.
- D. The IPsec firewall policies must be placed at the top of the list.

**Correct Answer:** C  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 87**

What settings must you configure to ensure FortiGate generates logs for web filter activity on a firewall policy called Full Access? (Choose two.)

- A. Enable Event Logging.
- B. Enable a web filter security profile on the Full Access firewall policy.
- C. Enable Log Allowed Traffic on the Full Access firewall policy.
- D. Enable disk logging.

**Correct Answer:** BC  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 88**

An administrator is attempting to allow access to https://fortinet.com through a firewall policy that is configured with a web filter and an SSL inspection profile configured for deep inspection. Which of the following are possible actions to eliminate the certificate error generated by deep inspection? (Choose two.)

- A. Implement firewall authentication for all users that need access to fortinet.com.
- B. Manually install the FortiGate deep inspection certificate as a trusted CA.
- C. Configure fortinet.com access to bypass the IPS engine.
- D. Configure an SSL-inspection exemption for fortinet.com.

**Correct Answer:** AB  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 89**

How does FortiGate verify the login credentials of a remote LDAP user?

- A. FortiGate regenerates the algorithm based on the login credentials and compares it to the algorithm stored on the LDAP server.
- B. FortiGate sends the user-entered credentials to the LDAP server for authentication.
- C. FortiGate queries the LDAP server for credentials.
- D. FortiGate queries its own database for credentials.

**Correct Answer:** B  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 90**

Which action can be applied to each filter in the application control profile?

- A. Block, monitor, warning, and quarantine
- B. Allow, monitor, block and learn
- C. Allow, block, authenticate, and warning
- D. Allow, monitor, block, and quarantine

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 91**

View the exhibit.

ID	Name	Source	Destination	Schedule	Service	Applications	URL Category	Action	NAT	Security Profiles	Log	Bytes
port3 → port 1												
2	Video/Audio	all	all	always	ALL	Video/Audio	+	DENY		SSL certificate-inspection	All	76.74 kB
4	Social_Media	all	all	always	ALL	Social Media	Social Networking	DENY		SSL certificate-inspection	All	940.57 kB
3	ALLOW_ALL	all	all	always	ALL			ACCEPT	Custom		UTM	97.72 kB
Implicit												
0	Implicit Deny	all	all	always	ALL			DENY			Disabled	3.58 MB

Based on the configuration shown in the exhibit, what statements about application control behavior are true? (Choose two.)

- A. Access to all unknown applications will be allowed.
- B. Access to browser-based Social.Media applications will be blocked.
- C. Access to mobile social media applications will be blocked.
- D. Access to all applications in Social.Media category will be blocked.

**Correct Answer:** BD  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 92**

HTTP Public Key Pinning (HPKP) can be an obstacle to implementing full SSL inspection. What solutions could resolve this problem? (Choose two.)

- A. Enable Allow Invalid SSL Certificates for the relevant security profile.
- B. Change web browsers to one that does not support HPKP.
- C. Exempt those web sites that use HPKP from full SSL inspection.
- D. Install the CA certificate (that is required to verify the web server certificate) stores of users' computers.

**Correct Answer:** BD  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 93**

View the exhibit.

```
date=2018-01-30 time=07:21:49 logid="0316013057" type="utm" subtype="webfilter"
eventtype="ftgd_blk" level="warning" vd="root" logtime=1517325709 policyid=1
sessionid=15332 srcip=10.0.1.20 scrport=59538 srcintf="port3" srcintfrole="undefined"
dstip=208.91.112.55 dstport=80 dstintf="port1" dstintfrole="undefined" proto=6
service="HTTP" hostname="lavito.tk" profile="Category-block-and-warning" action="blocked"
reqtype="direct" url="/" sentbyte=140 rcvbyte=0 direction="outgoing" msg="URL belongs
a category with warnings enabled" method="domain" cat=0 catdesc="Unrated" crscore=30
crlevel="high"
```

ID	Name	From	To
2	IPS	port1	port3
1	Full_Access	port3	port1
0	Implicit Deny	<input type="checkbox"/> any	<input type="checkbox"/> any

What does this raw log indicate? (Choose two.)

- A. FortiGate blocked the traffic.
- B. type indicates that a security event was recorded.
- C. 10.0.1.20 is the IP address for lavito.tk.
- D. policyid indicates that traffic went through the IPS firewall policy.

**Correct Answer:** BD  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 94**

Which of the following statements are true when using WPAD with the DHCP discovery method? (Choose two.)

- A. If the DHCP method fails, browsers will try the DNS method.
- B. The browser needs to be preconfigured with the DHCP server's IP address.
- C. The browser sends a DHCPONFORM request to the DHCP server.
- D. The DHCP server provides the PAC file for download.

**Correct Answer:** AC  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 95**

Examine the routing database shown in the exhibit, and then answer the following question:

```

FGT1 # get router info routing-table database
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
> - selected route, * - FIB route, p - stale info

S   *> 0.0.0.0/0 [10/0] via 172.20.121.2, port1, [20/0]
    *>           [10/0] via 10.0.0.2, port2, [30/0]
S   0.0.0.0/0 [20/0] via 192.168.15.2, port3, [10/0]
C   *> 10.0.0.0/24 is directly connected, port2
S   172.13.24.0/24 [10/0] is directly connected, port4
C   *> 172.20.121.0/24 is directly connected, port1
S   *> 192.167.1.0/24 [10/0] via 10.0.0.2, port2
C   *> 192.168.15.0/24 is directly connected, port3

```

Which of the following statements are correct? (Choose two.)

- A. The port3 default route has the highest distance.
- B. The port3 default route has the lowest metric.
- C. There will be eight routes active in the routing table.
- D. The port1 and port2 default routes are active in the routing table.

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 96**

If traffic matches a DLP filter with the action set to Quarantine IP Address, what action does FortiGate take?

- A. It notifies the administrator by sending an email.
- B. It provides a DLP block replacement page with a link to download the file.
- C. It blocks all future traffic for that IP address for a configured interval.
- D. It archives the data for that IP address.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 97**

An administrator is running the following sniffer command:

```
diagnose sniffer packet any "host 10.0.2.10" 3
```

What information will be included in the sniffer output? (Choose three.)

- A. IP header
- B. Ethernet header
- C. Packet payload
- D. Application header
- E. Interface name

**Correct Answer:** ABC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 98**

Which of the following statements about the FSSO collector agent timers is true?

- A. The workstation verify interval is used to periodically check of a workstation is still a domain member.
- B. The IP address change verify interval monitors the server IP address where the collector agent is installed, and the updates the collector agent configuration if it changes.
- C. The user group cache expiry is used to age out the monitored groups.
- D. The dead entry timeout interval is used to age out entries with an unverified status.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 99**

A FortiGate device has multiple VDOMs. Which statement about an administrator account configured with the default prof\_admin profile is true?

- A. It can create administrator accounts with access to the same VDOM.
- B. It cannot have access to more than one VDOM.
- C. It can reset the password for the admin account.
- D. It can upgrade the firmware on the FortiGate device.

**Correct Answer:** C  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 100**

Which of the following features is supported by web filter in flow-based inspection mode with NGFW mode set to profile-based?

- A. FortiGuard Quotas
- B. Static URL
- C. Search engines
- D. Rating option

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 101**

By default, when logging to disk, when does FortiGate delete logs?

- A. 30 days
- B. 1 year
- C. Never
- D. 7 days

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 102**

Examine the exhibit, which contains a session diagnostic output.

```
session info: proto=6 proto_state=01 duration=26 expire=3594 timeout=3600 flags=00000000 sockflag=
00000000 sockport=0 av_idx=0 use=4
origin-shaper=
reply-shaper=
per_ip_shaper=
ha_id=0 policy-dir=0 tunnel=/ vlan_cos=0/255
state=may_dirty
statistic(bytes/packets/allow_err): org=1490/14/1 reply=10479/13/1 tuples=2
tx speed (Bps/kbps):56/0 rx speed(Bps/kbps):397/3
origin->sink: org pre->post, reply pre->post dev=5->3/3->5 gwy=10.200.1.254/10.0.1.10
hook=post dir=org act=snat 10.0.1.10:60267->52.84.125.124:443(10.200.1.100:60267)
hook=pre dir=reply act=dnat 52.84.125.124:443->10.200.1.100:60267(10.0.1.10:60267)
pos/ (before,after) 0/(0,0), 0/(0,0)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=00009bd8 tos=ff/ff app_list=0 app=0 url_cat=0
dd_type=0 dd_mode=0
total session 129
```

Which of the following statements about the session diagnostic output is true?

- A. The session is in ESTABLISHED state.
- B. The session is in LISTEN state.
- C. The session is in TIME\_WAIT state.
- D. The session is in CLOSE\_WAIT state.

**Correct Answer:** A  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 103**

You are configuring the root FortiGate to implement the security fabric. You are configuring port10 to communicate with a downstream FortiGate. View the default Edit Interface in the exhibit below:

**Edit Interface**

Interface Name: port10(00:0C:29:53:DE:D7)  
 Alias:   
 Link Status: Up   
 Type: Physical Interface

**Tags**

Role: Undefined

**Address**

Addressing mode: **Manual** DHCP One-Arm-Sniffer Dedicated to FortiSwitch  
 IP/Network Mask:

**Administrative Access**

IPv4  HTTPS  HTTP  PING  FMG-Access  
 CAPWAP  SSH  SNMP  FTM  
 RADIUS Accounting  FortiTelemetry

DHCP Server

**Networked Devices**

Device Detection

When configuring the root FortiGate to communicate with a downstream FortiGate, which settings are required to be configured? (Choose two.)

- A. Device detection enabled.
- B. Administrative Access: FortiTelemetry.
- C. IP/Network Mask.
- D. Role: Security Fabric.

**Correct Answer:** BC

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 104**

When browsing to an internal web server using a web-mode SSL VPN bookmark, which IP address is used as the source of the HTTP request?

- A. remote user's public IP address
- B. The public IP address of the FortiGate device.
- C. The remote user's virtual IP address.
- D. The internal IP address of the FortiGate device.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 105**

Examine this output from a debug flow:

```
id=20085 trace_id=1 func=print_pkt_detail line=5363 msg="vd-root received a packet(proto=1,
10.0.1.10:1->10.200.1.254:2048)
from port3. type=8, code=0, id=1, seq=33."
id=20085 trace_id=1 func=init_ip_session_common line=5519 msg="allocate a new session=00000340"
id=20085 trace_id=1 func=vf_ip_route_input_common line=2583 msg="find a route: flag=04000000 gw=10.200.1.254 via
port1"
id=20085 trace_id=1 func=fw_forward_handler line=586 msg="Denied by forward policy check (policy 0)"
```

Why did the FortiGate drop the packet?

- A. The next-hop IP address is unreachable.
- B. It failed the RPF check.
- C. It matched an explicitly configured firewall policy with the action DENY.
- D. It matched the default implicit firewall policy.

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 106**

Examine the exhibit, which shows the output of a web filtering real time debug.

```

Local-FortiGate # diagnose debug enable

Local-FortiGate # diagnose debug application urlfilter -1

Local-FortiGate # msg= "received a request /tmp/.wad_192_0_0.url.socket, addr_len
=31 : d=www.bing.com : 80, id=29, vfname= 'root', vfid=0, profile= 'default', type=0,
client=10.0.1.10, url_source=1, url= "/"
Url matches local rating
action=10 (ftgd-block) wf-act=3 (BLOCK) user= "N/A" src=10.0.1.10 sport=63683 dst=2
04.79.197.200 dport=80 service= "http" cat=26 cat_desc= "Malicious Websites"
hostname= www.bing.com url= "/"

```

Why is the site www.bing.com being blocked?

- A. The web site www.bing.com is categorized by FortiGuard as Malicious Websites.
- B. The user has not authenticated with the FortiGate yet.
- C. The web server IP address 204.79.197.200 is categorized by FortiGuard as Malicious Websites.
- D. The rating for the web site www.bing.com has been locally overridden to a category that is being blocked.

**Correct Answer: D**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 107**

View the exhibit:

Status	Name	VLAN ID	Type	IP/Netmask
<b>Physical(12)</b>				
+	port1		Physical Interface	10.200.1.1 255.255.255.0
├	port1-VLAN1	1	VLAN	10.200.5.1 255.255.255.0
└	port1-VLAN10	10	VLAN	10.0.10.1 255.255.255.0
+	port2		Physical Interface	10.200.2.1 255.255.255.0
├	port2-VLAN1	1	VLAN	10.0.5.1 255.255.255.0
└	port2-VLAN10	10	VLAN	10.0.20.254 255.255.255.0
+	port3		Physical Interface	10.0.1.254 255.255.255.0

Which statement about the exhibit is true? (Choose two.)

- A. Broadcast traffic received in port1-VLAN10 will not be forwarded to port2-VLAN10.
- B. port-VLAN1 is the native VLAN for the port1 physical interface.
- C. port1-VLAN10 and port2-VLAN10 can be assigned to different VDOMs.
- D. Traffic between port1-VLAN1 and port2-VLAN1 is allowed by default.

**Correct Answer: CD**

**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 108**

Which of the following statements about backing up logs from the CLI and downloading logs from the GUI are true? (Choose two.)

- A. Log downloads from the GUI are limited to the current log filter view
- B. Log backups from the CLI cannot be restored to another FortiGate.
- C. Log backups from the CLI can be configured to upload to FTP at a scheduled time
- D. Log downloads from the GUI are stored as LZ4 compressed files.

**Correct Answer: BC**


**Section: (none)**

**Explanation**

**Explanation/Reference:**

**QUESTION 109**

Examine the network diagram shown in the exhibit, then answer the following question:



Which one of the following routes is the best candidate route for FGT1 to route traffic from the Workstation to the Web server?

- A. `172.16.0.0/16 [50/0] via 10.4.200.2, port2 [5/0]`
- B. `0.0.0.0/0 [20/0] via 10.4.200.2, port2`
- C. `10.4.200.0/30 is directly connected, port2`
- D. `172.16.32.0/24 is directly connected, port1`

**Correct Answer:** D

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 110

A team manager has decided that while some members of the team need access to particular website, the majority of the team does not. Which configuration option is the most effective option to support this request?

- A. Implement a web filter category override for the specified website.
- B. Implement web filter authentication for the specified website
- C. Implement web filter quotas for the specified website.
- D. Implement DNS filter for the specified website.

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 111

Which of the following statements are best practices for troubleshooting FSSO? (Choose two.)

- A. Include the group of guest users in a policy.
- B. Extend timeout timers.
- C. Guarantee at least 34 Kbps bandwidth between FortiGate and domain controllers.
- D. Ensure all firewalls allow the FSSO required ports.

**Correct Answer:** AD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 112

Which statements about antivirus scanning mode are true? (Choose two.)

- A. In proxy-based inspection mode antivirus buffers the whole file for scanning before sending it to the client.
- B. In flow-based inspection mode, you can use the CLI to configure antivirus profiles to use protocol option profiles.
- C. In proxy-based inspection mode, if a virus is detected, a replacement message may not be displayed immediately.
- D. In quick scan mode, you can configure antivirus profiles to use any of the available signature data bases.

**Correct Answer:** BD

**Section:** (none)

**Explanation**

**Explanation/Reference:**

#### QUESTION 113

In a high availability (HA) cluster operating in active-active mode, which of the following correctly describes the path taken by the SYN packet of an HTTP session that is offloaded to a secondary FortiGate?

- A. Client > primary FortiGate> secondary FortiGate> primary FortiGate> web server.
- B. Client > secondary FortiGate> web server.
- C. Client >secondary FortiGate> primary FortiGate> web server.
- D. Client> primary FortiGate> secondary FortiGate> web server.

**Correct Answer:** D  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

#### QUESTION 114

An administrator is configuring an IPsec between site A and site B. The Remotes Gateway setting in both sites has been configured as Static IP Address. For site A, the local quick mode selector is 192.16.1.0/24 and the remote quick mode selector is 192.16.2.0/24. How must the administrator configure the local quick mode selector for site B?

- A. 192.168.3.0.24
- B. 192.168.2.0.24
- C. 192.168.1.0.24
- D. 192.168.0.0.8

**Correct Answer:** A  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

#### QUESTION 115

An administrator has configured the following settings:

```
config system settings
set ses-denied-traffic enable
end
```

```
config system global
set block-session-timer 30
end
```

What does the configuration do? (Choose two.)

- A. Reduces the amount of logs generated by denied traffic.
- B. Enforces device detection on all interfaces for 30 minutes.
- C. Blocks denied users for 30 minutes.
- D. Creates a session for traffic being denied.

**Correct Answer:** AD  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

#### QUESTION 116

An administrator observes that the port1 interface cannot be configured with an IP address. What can be the reasons for that? (Choose three.)

- A. The interface has been configured for one-arm sniffer.
- B. The interface is a member of a virtual wire pair.
- C. The operation mode is transparent.
- D. The interface is a member of a zone.
- E. Captive portal is enabled in the interface.

**Correct Answer:** ABC  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

#### QUESTION 117

What information is flushed when the chunk-size value is changed in the config dlp settings?

- A. The database for DLP document fingerprinting
- B. The supported file types in the DLP filters
- C. The archived files and messages
- D. The file name patterns in the DLP filters

**Correct Answer:** A  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 118**

Which is the correct description of a hash result as it relates to digital certificates?

- A. A unique value used to verify the input data
- B. An output value that is used to identify the person or device that authored the input data.
- C. An obfuscation used to mask the input data.
- D. An encrypted output value used to safe-guard the input data

**Correct Answer:** A

**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 119**

Examine the exhibit, which shows the partial output of an IKE real-time debug.

```
ike 0: comes 172.20.187.114:500->172.20.186.222:500,ifindex=2....
ike 0: IKEv1 exchange=Identity Protection id=4497f0b077c742b5/0000000000000000 len=296
ike 0:4497f0b077c742b5/0000000000000000:8: responder: main mode get 1st message...
...
ike 0:4497f0b077c742b5/0000000000000000:8: SA proposal chosen, matched gateway Remote
ike 0: found Remote 172.20.186.222 2 -> 172.20.187.114:500
...
ike 0:Remote:8: sent IKE msg (ident_r1send): 172.20.186.222:500->172.20.187.114:500, len=160
ike 0: comes 172.20.187.114:500->172.20.186.222:500,ifindex=2....
ike 0:Remote:8: responder:main mode get 2nd message...
....
ike 0:Remote:8: sent IKE msg (ident_r2send): 172.20.186.222:500->172.20.187.114:500, len=292
ike 0:Remote:8: ISAKMP SA 4497f0b077c742b5/fbbb59b259a0fc3e key 24:DCD18FBE7CFA138E27B06F
ike 0: comes 172.20.187.114:500->172.20.186.222:500,ifindex=2....
ike 0:Remote:8: responder: main mode get 3rd message...
...
ike 0:Remote:8: PSK authentication succeeded
ike 0:Remote:8: authentication OK
ike 0:Remote:8: established IKE SA 4497f0b077c742b5/fbbb59b259a0fc3e
```

Which of the following statement about the output is true?

- A. The VPN is configured to use pre-shared key authentication.
- B. Extended authentication (XAuth) was successful.
- C. Remote is the host name of the remote IPsec peer.
- D. Phase 1 went down.

**Correct Answer:** A


**Section:** (none)

**Explanation**

**Explanation/Reference:**

**QUESTION 120**

Examine the network diagram shown in the exhibit, and then answer the following question:



A firewall administrator must configure equal cost multipath (ECMP) routing on FGT1 to ensure both port1 and port3 links are used at the same time for all traffic destined for 172.20.2.0/24. Which of the following static routes will satisfy this requirement on FGT1? (Choose two.)

- A. 172.20.2.0/24 (1/0) via 10.10.1.2, port1 [0/0]
- B. 172.20.2.0/24 (25/0) via 10.10.3.2, port3 [5/0]
- C. 172.20.2.0/24 (1/150) via 10.10.3.2, port3 [10/0]
- D. 172.20.2.0/24 (1/150) via 10.30.3.2, port3 [10/0]

**Correct Answer:** AB  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 121**

On a FortiGate with a hard disk, how can you upload logs to FortiAnalyzer or FortiManager? (Choose two.)

- A. hourly
- B. real time
- C. on-demand
- D. store-and-upload

**Correct Answer:** BD  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 122**

Examine this FortiGate configuration:

```
config system global
    set av-failopen pass
end
```

Examine the output of the following debug command:

```
# diagnose hardware sysinfo conserve
memory conserve mode: on
total RAM: 3040 MB
memory used: 2948 MB 97% of total RAM
memory freeable: 92 MB 3% of total RAM
memory used + freeable threshold extreme: 2887 MB 95% of total RAM
memory used threshold red: 2675 MB 88% of total RAM
memory used threshold green: 2492 MB 82% of total RAM
```

Based on the diagnostic outputs above, how is the FortiGate handling the traffic for new sessions that require inspection?

- A. It is allowed, but with no inspection
- B. It is allowed and inspected as long as the inspection is flow based
- C. It is dropped.
- D. It is allowed and inspected, as long as the only inspection required is antivirus.

**Correct Answer:** C  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 123**

Which of the following statements correctly describes FortiGate's route lookup behavior when searching for a suitable gateway? (Choose two)

- A. Lookup is done on the trust packet from the session originator
- B. Lookup is done on the last packet sent from the responder
- C. Lookup is done on every packet, regardless of direction
- D. Lookup is done on the trust reply packet from the responder

**Correct Answer:** AB  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 124**

The FSSO Collector Agent set to advanced access mode for the Windows Active Directory uses which of the following?

- A. LDAP convention
- B. NTLM convention
- C. Windows convention - NetBios: Domain\Username
- D. RSSO convention

**Correct Answer:** C  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 125**

Which configuration objects can be selected for the Source field of a firewall policy? (Choose two.)

- A. Firewall service
- B. User or user group
- C. IP Pool
- D. FQDN address

**Correct Answer:** BC  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 126**

When using SD-WAN, how do you configure the next-hop gateway address for a member interface so that FortiGate can forward Internet traffic?

- A. It must be configured in a static route using the sdwan virtual interface.
- B. It must be provided in the SD-WAN member interface configuration.
- C. It must be configured in a policy-route using the sdwan virtual interface.
- D. It must be learned automatically through a dynamic routing protocol.

**Correct Answer:** A  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 127**

Which of the following services can be inspected by the DLP profile? (Choose three.)

- A. NFS
- B. FTP
- C. IMAP
- D. CIFS
- E. HTTP-POST

**Correct Answer:** BCE  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 128**

Which of the following statements describe WMI polling mode for the FSSO collector agent? (Choose two.)

- A. The NetSessionEnum function is used to track user logoffs.
- B. WMI polling can increase bandwidth usage in large networks.
- C. The collector agent uses a Windows API to query DCs for user logins.
- D. The collector agent do not need to search any security event logs.

**Correct Answer:** BC  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 129**

Which statements about DNS filter profiles are true? (Choose two.)

- A. They can inspect HTTP traffic.
- B. They can redirect blocked requests to a specific portal.
- C. They can block DNS requests to known botnet command and control servers.
- D. They must be applied in firewall policies with SSL inspection enabled.

**Correct Answer:** CD  
**Section:** (none)  
**Explanation**

**Explanation/Reference:**

**QUESTION 130**

An administrator has configured a dialup IPsec VPN with XAuth. Which statement best describes what occurs during this scenario?

- A. Phase 1 negotiations will skip preshared key exchange.
- B. Only digital certificates will be accepted as an authentication method in phase 1.C
- C. Dialup clients must provide a username and password for authentication.
- D. Dialup clients must provide their local ID during phase 2 negotiations.

**Correct Answer:** C

**Section:** (none)

**Explanation**

**Explanation/Reference:**