

Call Control Discovery over Service Advertisement Framework (CCD/SAF) - BLOCKING

« Call Control Discovery over Service Advertisement Framework (CCD/SAF) (</workbook/view/ccie-collaboration/task/call-control-discovery-over-service-advertisement-framework-ccd-saf-MzA1Ng%3D%3D>) | Hunt Group with Queuing (</workbook/view/ccie-collaboration/task/hunt-group-with-queuing-MzA1OA%3D%3D>) »

Last updated: November 13, 2017

Tasks





- Block the previously learned prefixes via CCD so that HQ Cluster and Site B Cluster use the CUBE for intersite calling.

Configuration: [Click to collapse](#)


HQ Publisher

Call Routing > Call Control Discovery > Blocked Learned Pattern

Blocked Learned Pattern Configuration


 Save  Delete  Copy  Add New

Status

 Status: Ready

Purge and Block SAF CCD Learned Routes Information

Learned Pattern	<input type="text" value="30XX"/>
Learned Pattern Prefix	<input type="text"/>
Remote Call Control Identity	<input type="text"/>
Remote IP	<input type="text"/>

 *- indicates required item.


Site B Publisher

Call Routing > Call Control Discovery > Blocked Learned Pattern

Blocked Learned Pattern Configuration


 Save  Delete  Copy  Add New

Status

 Status: Ready

Purge and Block SAF CCD Learned Routes Information

Learned Pattern	<input type="text" value="20XX"/>
Learned Pattern Prefix	<input type="text"/>
Remote Call Control Identity	<input type="text"/>
Remote IP	<input type="text"/>

 *- indicates required item.

CONTENTS

Verification

Make calls from HQ and Site B.

« Call Control Discovery over Service Advertisement Framework (CCD/SAF) (/workbook/view/ccie-collaboration/task/call-control-discovery-over-service-advertisement-framework-ccd-saf-MzA1Ng%3D%3D) | Hunt Group with Queuing (/workbook/view/ccie-collaboration/task/hunt-group-with-queuing-MzA1OA%3D%3D) »