

**Vendor:** Microsoft

**Exam Code:** AZ-303

**Exam Name:** Microsoft Azure Architect Technologies

**Version:** 20.081

## Case Study - Contoso, Ltd. (Question 1 - Question 5)

### Overview

Contoso, Ltd. is a manufacturing company that has offices worldwide. Contoso works with partner organizations to bring products to market.

Contoso products are manufactured by using blueprint files that the company authors and maintains.

### Existing Environment

Currently, Contoso uses multiple types of servers for business operations, including the following:

- File servers
- Domain controllers
- Microsoft SQL Server servers

Your network contains an Active Directory forest named contoso.com. All servers and client computers are joined to Active Directory.

You have a public-facing application named App1. App1 is comprised of the following three tiers:

- A SQL database
- A web front end
- A processing middle tier

Each tier is comprised of five virtual machines. Users access the web front end by using HTTPS only.

### Requirements

#### Planned Changes

Contoso plans to implement the following changes to the infrastructure:

- Move all the tiers of App1 to Azure.
- Move the existing product blueprint files to Azure Blob storage.
- Create a hybrid directory to support an upcoming Microsoft Office 365 migration project.

#### Technical Requirements

Contoso must meet the following technical requirements:

- Move all the virtual machines for App1 to Azure.
- Minimize the number of open ports between the App1 tiers.
- Ensure that all the virtual machines for App1 are protected by backups.
- Copy the blueprint files to Azure over the Internet.
- Ensure that the blueprint files are stored in the archive storage tier.
- Prevent user passwords or hashes of passwords from being stored in Azure.
- Use unmanaged standard storage for the hard disks of the virtual machines.
- Ensure that when users join devices to Azure Active Directory (Azure AD), the users use a mobile phone to verify their identity.
- Minimize administrative effort whenever possible.

#### User Requirements

Contoso identifies the following requirements for users:

- Ensure that only users who are part of a group named Pilot can join devices to Azure AD.
- Designate a new user named Admin1 as the service admin for the Azure subscription.
- Admin1 must receive email alerts regarding service outages.
- Ensure that a new user named User3 can create network objects for the Azure subscription.

### QUESTION 1

You need to recommend an identity solution that meets the technical requirements. What should you recommend?

- A. password hash synchronization and single sign-on (SSO)
- B. federated single sign-on (SSO) and Active Directory Federation Services (AD FS)

- C. Pass-through Authentication and single sign-on (SSO)
- D. cloud-only user accounts

**Answer: C**

**Explanation:**

With Pass-through Authentication the on-premises passwords are never stored in the cloud in any form.

Scenario:

Prevent user passwords or hashes of passwords from being stored in Azure.

Ensure that when users join devices to Azure Active Directory (Azure AD), the users use a mobile phone to verify their identity.

Minimize administrative effort whenever possible.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-pta>

**QUESTION 2**

Hotspot Question

You need to identify the storage requirements for Contoso.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
Contoso requires a storage account that supports Blob storage.	<input type="radio"/>	<input type="radio"/>
Contoso requires a storage account that supports Azure Table storage.	<input type="radio"/>	<input type="radio"/>
Contoso requires a storage account that supports Azure File Storage.	<input type="radio"/>	<input type="radio"/>

**Answer:**

**Answer Area**

Statements	Yes	No
Contoso requires a storage account that supports Blob storage.	<input checked="" type="radio"/>	<input type="radio"/>
Contoso requires a storage account that supports Azure Table storage.	<input type="radio"/>	<input checked="" type="radio"/>
Contoso requires a storage account that supports Azure File Storage.	<input type="radio"/>	<input checked="" type="radio"/>

**Explanation:**

Box 1: Yes

Scenario: Move the existing product blueprint files to Azure Blob storage.

Scenario: Use unmanaged standard storage for the hard disks of the virtual machines. Page blobs are optimized for writes at random locations within a blob. They also support Unmanaged Disks.

Scenario:

SQL Server Data Files in Microsoft Azure enables native support for SQL Server database files stored as blobs. It allows you to create a database in SQL Server running in on-premises or in a virtual machine in Microsoft Azure with a dedicated storage location for your data in Microsoft Azure Blob storage.

Box 2: No

Box 3: No

Reference:

<https://docs.microsoft.com/en-us/sql/relational-databases/databases/sql-server-data-files-in-microsoft-azure>

**QUESTION 3**

Hotspot Question

You need to recommend a solution for App1. The solution must meet the technical requirements. What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Number of virtual networks:

	▼
1	
2	
3	

Number of subnets per virtual network:

	▼
1	
2	
3	

Answer:

**Answer Area**

Number of virtual networks:

	▼
1	
2	
3	

Number of subnets per virtual network:

	▼
1	
2	
3	

**Explanation:**

Box 1: 3

One virtual network for every tier

Box 2: 1

Only one subnet for each tier, to minimize the number of open ports.

Scenario: You have a public-facing application named App1. App1 is comprised of the following three tiers:

- A SQL database
- A web front end
- A processing middle tier

Each tier is comprised of five virtual machines. Users access the web front end by using HTTPS only.

Technical requirements:

- Move all the virtual machines for App1 to Azure.
- Minimize the number of open ports between the App1 tiers.

#### QUESTION 4

You need to implement a backup solution for App1 after the application is moved.  
What should you create first?

- A. an Azure Backup Server
- B. a Recovery Services vault
- C. a backup policy
- D. a recovery plan

**Answer: B**

#### Explanation:

Scenario: Ensure that all the virtual machines for App1 are protected by backups.

You can back up Azure VMs using a couple of methods:

Single Azure VM: You can back up an Azure VM directly from the VM settings.

Multiple Azure VMs: You can set up a Recovery Services vault and configure backup for multiple Azure VMs.

References:

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-vm-first-look-arm>

#### QUESTION 5

You need to move the blueprint files to Azure.  
What should you do?

- A. Use the Azure Import/Export service.
- B. Use Azure Storage Explorer to copy the files.
- C. Generate a shared access signature (SAS). Map a drive, and then copy the files by using File Explorer.
- D. Generate an access key. Map a drive, and then copy the files by using File Explorer.

**Answer: D**

#### Explanation:

Scenario: Copy the blueprint files to Azure over the Internet.

To mount an Azure file share, you will need the primary (or secondary) storage key. SAS keys are not currently supported for mounting.

Incorrect Answers:

A: Azure Import/Export service is used to securely import large amounts of data to Azure Blob storage and Azure Files by shipping disk drives to an Azure datacenter.

References:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-how-to-use-files-windows>

## Mixed Questions

#### QUESTION 6

You have an Azure subscription that contains 10 virtual machines on a virtual network.  
You need to create a graph visualization to display the traffic flow between the virtual machines.  
What should you do from Azure Monitor?

- A. From Activity log, use quick insights.
- B. From Metrics, create a chart.

- C. From Logs, create a new query.
- D. From Workbooks, create a workbook.

**Answer: C**

**Explanation:**

Navigate to Azure Monitor and select Logs to begin querying the data

Reference:

<https://azure.microsoft.com/en-us/blog/analysis-of-network-connection-data-with-azure-monitor-for-virtual-machines/>

**QUESTION 7**

You have an Azure subscription that contains 100 virtual machines.

You have a set of Pester tests in PowerShell that validate the virtual machine environment.

You need to run the tests whenever there is an operating system update on the virtual machines.

The solution must minimize implementation time and recurring costs.

Which three resources should you use to implement the tests? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Azure Automation runbook
- B. an alert rule
- C. an Azure Monitor query
- D. a virtual machine that has network access to the 100 virtual machines
- E. an alert action group

**Answer: ABE**

**Explanation:**

A: You can call Azure Automation runbooks by using action groups or by using classic alerts to automate tasks based on alerts.

B: Alerts are one of the key features of Azure Monitor. They allow us to alert on actions within an Azure subscription

Reference:

<https://docs.microsoft.com/en-us/azure/automation/automation-create-alert-triggered-runbook>  
<https://techsnips.io/snips/how-to-create-and-test-azure-monitor-alerts/?page=13>

**QUESTION 8**

You have an Azure subscription that contains an Azure Log Analytics workspace.

You have a resource group that contains 100 virtual machines. The virtual machines run Linux.

You need to collect events from the virtual machines to the Log Analytics workspace.

Which type of data source should you configure in the workspace?

- A. Syslog
- B. Linux performance counters
- C. custom fields

**Answer: A**

**Explanation:**




Syslog is an event logging protocol that is common to Linux. Applications will send messages that may be stored on the local machine or delivered to a Syslog collector. When the Log Analytics agent for Linux is installed, it configures the local Syslog daemon to forward messages to the agent. The agent then sends the message to Azure Monitor where a corresponding record is created.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/data-sources-custom-logs>

**QUESTION 9**

You have a virtual network named VNet1 as shown in the exhibit. (Click the Exhibit tab.)

 Refresh  Move  Delete

---

Resource group [\(change\)](#)  
Production

Address space  
10.2.0.0/16

Location  
West US

DNS servers  
Azure provided DNS service

Subscription [\(change\)](#)  
Production subscription

Subscription ID  
14d26092-8e42-4ea7-b770-9dcef70fb1ea

Tags [\(change\)](#)  
[Click here to add tags](#)

---

**Connected devices**

DEVICE	TYPE	IP ADDRESS	SUBNET
--------	------	------------	--------

No results.

No devices are connected to VNet1.  
You plan to peer VNet1 to another virtual network named VNet2. VNet2 has an address space of 10.2.0.0/16.  
You need to create the peering.  
What should you do first?

- A. Configure a service endpoint on VNet2.
- B. Add a gateway subnet to VNet1.
- C. Create a subnet on VNet1 and VNet2.
- D. Modify the address space of VNet1.

**Answer: D**

**Explanation:**

The virtual networks you peer must have non-overlapping IP address spaces. The exhibit indicates that VNet1 has an address space of 10.2.0.0/16, which is the same as VNet2, and thus overlaps. We need to change the address space for VNet1.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-manage-peering#requirements-and-constraints>

#### QUESTION 10

You have an Azure subscription.

You have 100 Azure virtual machines.

You need to quickly identify underutilized virtual machines that can have their service tier changed to a less expensive offering.

Which blade should you use?

- A. Metrics
- B. Customer sights
- C. Monitor
- D. Advisor

**Answer: D**

#### Explanation:

Advisor helps you optimize and reduce your overall Azure spend by identifying idle and underutilized resources. You can get cost recommendations from the Cost tab on the Advisor dashboard.

Reference:

<https://docs.microsoft.com/en-us/azure/advisor/advisor-cost-recommendations>

#### QUESTION 11

You have an Azure App Service app.

You need to implement tracing for the app. The tracing information must include the following:

- Usage trends
- AJAX call responses
- Page load speed by browser
- Server and browser exceptions

What should you do?

- A. Configure IIS logging in Azure Log Analytics.
- B. Configure a connection monitor in Azure Network Watcher.
- C. Configure custom logs in Azure Log Analytics.
- D. Enable the Azure Application Insights site extension.

**Answer: D**

#### Explanation:

For web pages, Application Insights JavaScript SDK automatically collects AJAX calls as dependencies.

Note: Some of the things you can track or collect are:

What are the most popular webpages in your application, at what time of day and where is that traffic coming from?

Dependency rates or response times and failure rates to find out if there's an external service that's causing performance issues on your app, maybe a user is using a portal to get through to your application and there are response time issues going through there for instance.

Exceptions for both server and browser information, as well as page views and load performance from the end users' side.

Reference:

<https://azure.microsoft.com/en-us/blog/ajax-collection-in-application-insights/>

<https://blog.pragmaticworks.com/what-is-application-insights>

**QUESTION 12**

You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Contains
storagecontoso1	A blob service and a table service
storagecontoso2	A blob service and a file service
storagecontoso3	A queue service
storagecontoso4	A file service and a queue service
storagecontoso5	A table service

You enable Storage Advanced Threat Protection (ATP) for all the storage accounts.

You need to identify which storage accounts will generate Storage ATP alerts.

Which two storage accounts should you identify? Each correct answer presents part of the solution.


NOTE: Each correct selection is worth one point.

- A. storagecontoso1
- B. storagecontoso2
- C. storagecontoso3
- D. storagecontoso4
- E. storagecontoso5

**Answer:** AB

**Explanation:**

Storage Threat Detection is available for the Blob Service.



Reference:

<https://azure.microsoft.com/en-us/blog/advanced-threat-protection-for-azure-storage-now-in-public-preview/>

**QUESTION 13**

You have an Azure virtual machine named VM1 and an Azure Active Directory (Azure AD) tenant named adatum.com.

VM1 has the following settings:

- IP address: 10.10.0.10
- System-assigned managed identity: On

You need to create a script that will run from within VM1 to retrieve the authentication token of VM1. Which address should you use in the script?

- A. vm1.adatum.com.onmicrosoft.com
- B. 169.254.169.254
- C. 10.10.0.10
- D. vm1.adatum.com

**Answer: B**

**Explanation:**

Your code that's running on the VM can request a token from the Azure Instance Metadata Service identity endpoint, accessible only from within the VM:  
<http://169.254.169.254/metadata/identity/oauth2/token>

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

**QUESTION 14**

You are designing an Azure solution.

The solution must meet the following requirements:

- Distribute traffic to different pools of dedicated virtual machines (VMs) based on rules.
- Provide SSL offloading capabilities.

You need to recommend a solution to distribute network traffic.

Which technology should you recommend?

- A. Azure Application Gateway
- B. Azure Load Balancer
- C. Azure Traffic Manager
- D. server-level firewall rules

**Answer: A**

**Explanation:**

If you require "SSL offloading", application layer treatment, or wish to delegate certificate management to Azure, you should use Azure's layer 7 load balancer Application Gateway instead of the Load Balancer.

Incorrect Answers:

D: Because Load Balancer is agnostic to the TCP payload and TLS offload ("SSL") is not provided.

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/overview>

**QUESTION 15**

You are implementing authentication for applications in your company. You plan to implement self-service password reset (SSPR) and multifactor authentication (MFA) in Azure Active Directory (Azure AD).

You need to select authentication mechanisms that can be used for both MFA and SSPR.

Which two authentication methods should you use? Each correct answer presents a complete

solution.

NOTE: Each correct selection is worth one point.

- A. Authenticator app
- B. Email addresses
- C. App passwords
- D. Short Message Service (SMS) messages
- E. Security questions

**Answer:** AD

**Explanation:**

The following authentication mechanisms can be used for both MFA and SSPR:  
Short Message Service (SMS) messages

Azure AD passwords

Microsoft Authenticator app

Voice call

Incorrect Answers:

B, E: The following authentication mechanisms are used for SSPR only:

Email addresses

Security questions

E: App passwords authentication mechanisms can be used for MFA only, but only in certain cases.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-methods>

#### QUESTION 16

Your company has the groups shown in the following table.

Group	Number of members
Managers	10
Sales	100
Development	15

The company has an Azure subscription that contains an Azure Active Directory (Azure AD) tenant named contoso.com.

An administrator named Admin1 attempts to enable Enterprise State Roaming for all the users in the Managers groups.

Admin1 reports that the options for Enterprise State Roaming are unavailable from Azure AD.

You verify that Admin1 is assigned the Global administrator role.

You need to ensure that Admin1 can enable Enterprise State Roaming.

What should you do?

- A. Assign an Azure AD Privileged Identity Management (PIM) role to Admin1.
- B. Purchase an Azure Rights Management (Azure RMS) license for each user in the Managers group.
- C. Enforce Azure Multi-Factor Authentication (MFA) for Admin1.
- D. Purchase an Azure AD Premium P1 license for each user in the Managers group.

**Answer:** D

**Explanation:**

Enterprise State Roaming is available to any organization with an Azure AD Premium or Enterprise

Mobility + Security (EMS) license.

Reference:

<https://docs.microsoft.com/bs-latn-ba/azure/active-directory/devices/enterprise-state-roaming-enable>

#### QUESTION 17

Your company has an Azure subscription.

You enable multi-factor authentication (MFA) for all users.

The company's help desk reports an increase in calls from users who receive MFA requests while they work from the company's main office.

You need to prevent the users from receiving MFA requests when they sign in from the main office. What should you do?

- A. From Conditional access in Azure Active Directory (Azure AD), create a named location.
- B. From the MFA service settings, create a trusted IP range.
- C. From Conditional access in Azure Active Directory (Azure AD), create a custom control.
- D. From Azure Active Directory (Azure AD), configure organizational relationships.

**Answer: B**

#### Explanation:

The first thing you may want to do, before enabling Multi-Factor Authentication for any users, is to consider configuring some of the available settings. One of the most important features is a trusted IPs list. This will allow you to whitelist a range of IPs for your network. This way, when users are in the office, they will not get prompted with MFA, and when they take their devices elsewhere, they will. Here's how to do it:

Log in to your Azure Portal.

Navigate to Azure AD > Conditional Access > Named locations.

From the top toolbar select Configure MFA trusted IPs.

Reference:

<https://www.kraftkennedy.com/implementing-azure-multi-factor-authentication/>

#### QUESTION 18

You have an application named App1 that does not support Azure Active Directory (Azure AD) authentication.

You need to ensure that App1 can send messages to an Azure Service Bus queue. The solution must prevent App1 from listening to the queue.

What should you do?

- A. Configure Access control (IAM) for the Service Bus.
- B. Add a shared access policy to the queue.
- C. Modify the locks of the queue.
- D. Configure Access control (IAM) for the queue.

**Answer: B**

#### Explanation:

There are two ways to authenticate and authorize access to Azure Service Bus resources: Azure Activity Directory (Azure AD) and Shared Access Signatures (SAS).

Each Service Bus namespace and each Service Bus entity has a Shared Access Authorization policy made up of rules.

Reference:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-authentication-and-authorization>

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-sas>

**QUESTION 19**

An administrator plans to create a function app in Azure that will have the following settings:

- Runtime stack: .NET Core
- Operating System: Linux
- Plan type: Consumption
- Enable Application Insights: Yes

You need to ensure that you can back up the function app.

Which settings should you recommend changing before creating the function app?

- A. Runtime stack
- B. Enable Application Insights
- C. Operating System
- D. Plan type

**Answer: D**

**Explanation:**

The Backup and Restore feature requires the App Service plan to be in the Standard, Premium or Isolated tier.

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/manage-backup#requirements-and-restrictions>

**QUESTION 20**

You have 10 Azure virtual machines on a subnet named Subnet1. Subnet1 is on a virtual network named VNet1.

You plan to deploy a public Azure Standard Load Balancer named LB1 to the same Azure region as the 10 virtual machines.

You need to ensure that traffic from all the virtual machines to the internet flows through LB1. The solution must prevent the virtual machines from being accessible on the internet.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add health probes to LB1.
- B. Add the network interfaces of the virtual machines to the backend pool of LB1.
- C. Add an inbound rule to LB1.
- D. Add an outbound rule to LB1.
- E. Associate a network security group (NSG) to Subnet1.
- F. Associate a user-defined route to Subnet1.

**Answer: ABD**

**Explanation:**

A: To allow the Load Balancer to monitor the status of your app, you use a health probe. The health probe dynamically adds or removes VMs from the Load Balancer rotation based on their response to health checks.

B: To distribute traffic to the VMs, a backend address pool contains the IP addresses of the virtual (NICs) connected to the Load Balancer.

D: A Load Balancer rule is used to define how traffic is distributed to the VMs. Only outbound traffic is allowed.

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/tutorial-load-balancer-standard-manage-portal2>

**QUESTION 21**

You have SQL Server on an Azure virtual machine named SQL1. You need to automate the backup of the databases on SQL1 by using Automated Backup v2 for the virtual machines. The backups must meet the following requirements:

- Meet a recovery point objective (RPO) of 15 minutes.
- Retain the backups for 30 days.
- Encrypt the backups at rest.

What should you provision as part of the backup solution?

- A. Elastic Database jobs
- B. Azure Key Vault
- C. an Azure Storage account
- D. a Recovery Services vault

**Answer: C**

**Explanation:**

An Azure storage account is used for storing Automated Backup files in blob storage. A container is created at this location to store all backup files. The backup file naming convention includes the date, time, and database GUID.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/virtual-machines/windows/automated-backup>

**QUESTION 22**

You have an Azure subscription that contains an Azure key vault named KeyVault1 and the virtual machines shown in the following table.

Name	Connected to
VM1	VNET1/Subnet1
VM2	VNET1/Subnet2

KeyVault1 has an access policy that provides several users with Create Key permissions.

You need to ensure that the users can only register secrets in KeyVault1 from VM1.

What should you do?

- A. Create a network security group (NSG) that is linked to Subnet1.
- B. Configure the Firewall and virtual networks settings for KeyVault1.
- C. Modify the access policy for KeyVault1.
- D. Configure KeyVault1 to use a hardware security module (HSM).

**Answer: C**

**Explanation:**

You grant data plane access by setting Key Vault access policies for a key vault.

Note 1: Grant our VM's system-assigned managed identity access to the Key Vault.

1. Select Access policies and click Add new.
2. In Configure from template, select Secret Management.
3. Choose Select Principal, and in the search field enter the name of the VM you created earlier. Select the VM in the result list and click Select.
4. Click OK to finishing adding the new access policy, and OK to finish access policy selection.

Note 2: Access to a key vault is controlled through two interfaces: the management plane and the data plane. The management plane is where you manage Key Vault itself. Operations in this plane include creating and deleting key vaults, retrieving Key Vault properties, and updating access policies. The data plane is where you work with the data stored in a key vault. You can add, delete,

and modify keys, secrets, and certificates.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/tutorial-windows-vm-access-nonaad>

<https://docs.microsoft.com/en-us/azure/key-vault/general/secure-your-key-vault2>

### QUESTION 23

You have resources in three Azure regions. Each region contains two virtual machines. Each virtual machine has a public IP address assigned to its network interface and a locally installed application named App1.

You plan to implement Azure Front Door-based load balancing across all the virtual machines.

You need to ensure that App1 on the virtual machines will only accept traffic routed from Azure Front Door.

What should you implement?

- A. Azure Private Link
- B. service endpoints
- C. network security groups (NSGs) with service tags
- D. network security groups (NSGs) with application security groups

**Answer: C**

**Explanation:**

Configure IP ACLing for your backends to accept traffic from Azure Front Door's backend IP address space and Azure's infrastructure services only. Refer the IP details below for ACLing your backend:

Refer AzureFrontDoor.Backend section in Azure IP Ranges and Service Tags for Front Door's IPv4 backend IP address range or you can also use the service tag AzureFrontDoor.Backend in your network security groups.

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-faq>

### QUESTION 24

You have an Azure key vault named KV1.

You need to ensure that applications can use KV1 to provision certificates automatically from an external certification authority (CA).

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From KV1, create a certificate issuer resource.
- B. Obtain the CA account credentials.
- C. Obtain the root CA certificate.
- D. From KV1, create a certificate signing request (CSR).
- E. From KV1, create a private key,

**Answer: CD**

**Explanation:**

C: Obtain the root CA certificate (step 4 in the picture below)

D: From KV1, create a certificate signing request (CSR) (step 2 in the picture below) Note:

Creating a certificate with a CA not partnered with Key Vault This method allows working with other CAs than Key Vault's partnered providers, meaning your organization can work with a CA of its choice.



The following step descriptions correspond to the green lettered steps in the preceding diagram.

1. In the diagram above, your application is creating a certificate, which internally begins by creating a key in your key vault.
2. Key Vault returns to your application a Certificate Signing Request (CSR).
3. Your application passes the CSR to your chosen CA.
4. Your chosen CA responds with an X509 Certificate.
5. Your application completes the new certificate creation with a merger of the X509 Certificate from your CA.

Reference:

<https://docs.microsoft.com/en-us/azure/key-vault/certificates/certificate-scenarios>

#### QUESTION 25

You create the following Azure role definition.

```
{
  "Name": "Role1",
  "Id": "80808080-8080-8080-8080-808080808080",
  "IsCustom": false,
  "Description": "",
  "Actions": [
    "Microsoft.Storage/*/read",
    "Microsoft.Network/*/read",
    "Microsoft.Compute/virtualMachines/start/action",
    "Microsoft.Compute/virtualMachines/restart/action",
    "Microsoft.Authorization/*/read"],
  "NotActions": [ ],
  "DataActions": [ ],
  "NotDataActions": [ ],
  "AssignableScopes": [ ]
}
```

You need to create Role1 by using the role definition.

Which two values should you modify before you create Role1? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. AssignableScopes
- B. Description
- C. DataActions
- D. IsCustom
- E. Id

**Answer:** AD

**Explanation:**

Part of example:

```
"IsCustom": true,  
"AssignableScopes": [  
  "/subscriptions/{subscriptionId1}",  
  "/subscriptions/{subscriptionId2}",  
  "/subscriptions/{subscriptionId3}"
```

The following shows what a custom role looks like as displayed in JSON format. This custom role can be used for monitoring and restarting virtual machines.

```
{  
  "Name": "Virtual Machine Operator",  
  "Id": "888888888-8888-8888-8888-888888888888",  
  "IsCustom": true,  
  "Description": "Can monitor and restart virtual machines.", "Actions": [  
    "Microsoft.Storage/*/read",  
    "Microsoft.Network/*/read",  
    "Microsoft.Compute/*/read",  
    "Microsoft.Compute/virtualMachines/start/action",  
    "Microsoft.Compute/virtualMachines/restart/action",  
    "Microsoft.Authorization/*/read",  
    "Microsoft.ResourceHealth/availabilityStatuses/read",  
    "Microsoft.Resources/subscriptions/resourceGroups/read", "Microsoft.Insights/alertRules/*",  
    "Microsoft.Insights/diagnosticSettings/*",  
    "Microsoft.Support/*"  
  ],  
  "NotActions": [],  
  "DataActions": [],  
  "NotDataActions": [],  
  "AssignableScopes": [  
    "/subscriptions/{subscriptionId1}",  
    "/subscriptions/{subscriptionId2}",  
    "/subscriptions/{subscriptionId3}"  
  ]  
}
```

Reference:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/custom-roles>

#### QUESTION 26

**Note:** This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host.

You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image.

Solution: You add the following line to the Dockerfile.

```
COPY File1.txt /Folder1/
```

You then build the container image.

Does this meet the goal?

A. Yes

B. No

**Answer: A**

**Explanation:**

Copy is the correct command to copy a file to the container image.

Reference:

[https://docs.docker.com/develop/develop-images/dockerfile\\_best-practices/#add-or-copy](https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy)

<https://docs.docker.com/engine/reference/builder/>

#### QUESTION 27

**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.**

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host.

You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image.

Solution: You add the following line to the Dockerfile.

```
XCOPY File1.txt C:\Folder1\
```

You then build the container image.

Does this meet the goal?

A. Yes

B. No

**Answer: B**

**Explanation:**

Copy is the correct command to copy a file to the container image. Furthermore, the root directory is specified as '/' and not as 'C:/'.

Reference:

[https://docs.docker.com/develop/develop-images/dockerfile\\_best-practices/#add-or-copy](https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy)

<https://docs.docker.com/engine/reference/builder/>

#### QUESTION 28

**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.**

**After you answer a question in this section, you will NOT be able to return to it. As a result,**

**these questions will not appear in the review screen.**

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host.

You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image.

Solution: You add the following line to the Dockerfile.

```
ADD File1.txt C:/Folder1/
```

You then build the container image.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Copy is the correct command to copy a file to the container image. The ADD command can also be used.

However, the root directory is specified as '/' and not as 'C:/'.

Reference:

[https://docs.docker.com/develop/develop-images/dockerfile\\_best-practices/#add-or-copy](https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy)

<https://docs.docker.com/engine/reference/builder/>

#### QUESTION 29

**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.**

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles.

You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You create an access package.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

You do not use access packages for Identity Governance. Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

Conduct access reviews to ensure users still need roles

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

<https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-overview>

**QUESTION 30**

**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.**

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles.

You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You purchase an Azure Directory Premium P2 license for contoso.com.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

Conduct access reviews to ensure users still need roles

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

**QUESTION 31**

**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.**

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles.

You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You assign the Global administrator role to Admin1.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that

you care about. Key features of PIM include:

Conduct access reviews to ensure users still need roles

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

**QUESTION 32**

Your network contains an on-premises Active Directory domain named contoso.com that contains a member server named Server1.

You have the accounts shown in the following table.

Name	Member of
CONTOSO\User1	Domain Admins
CONTOSO\User2	Domain Users
CONTOSO\User3	Enterprise Admin
SERVER1\User4	Users

You are installing Azure AD Connect on Server1.

You need to specify the account for Azure AD Connect synchronization. The solution must use the principle of least privilege.

Which account should you specify?

- A. CONTOSO\User2
- B. SERVER1\User4
- C. CONTOSO\User1
- D. CONTOSO\User3

**Answer: A**

**Explanation:**

The default Domain User permissions are sufficient

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/reference-connect-accounts-permissions>

**QUESTION 33**

You have an Azure subscription that contains the web apps shown in the following table.

Name	Runtime stack
WebApp1	Java SE
WebApp2	Ruby 2.6
WebApp3	Python 3.7
WebApp4	ASP.NET V4.7

For which web app can you configure a WebJob?

- A. WebApp1
- B. WebApp4
- C. WebApp2
- D. WebApp3

**Answer: B**

**Explanation:**

Publishing a .NET Core WebJob to App Service from Visual Studio uses the same tooling as publishing an ASP.NET Core app.

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/webjobs-dotnet-deploy-vs>

**QUESTION 34**

The developers at your company request that you create databases in Azure Cosmos DB as shown in the following table.

Name	Requirement
CosmosDB1	<ul style="list-style-type: none"> <li>• Provides a throughput of 1,200 RU/s</li> <li>• Has multiple write regions</li> <li>• Uses the Core (SQL) API</li> </ul>
CosmosDB2	<ul style="list-style-type: none"> <li>• Provides a throughput of 800 RU/s</li> <li>• Uses the MongoDB API</li> </ul>
CosmosDB3	<ul style="list-style-type: none"> <li>• Provides a throughput of 1,200 RU/s</li> <li>• Has only one write region</li> <li>• Uses the Core (SQL) API</li> </ul>
CosmosDB4	<ul style="list-style-type: none"> <li>• Provides a throughput of 2,000 RU/s</li> <li>• Uses the MongoDB API</li> </ul>

You need to create the Azure Cosmos DB databases to meet the developer request. The solution must minimize costs.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Create three Azure Cosmos DB accounts, one for the databases that use the Core (SQL) API, one for CosmosDB2, and one for CosmosDB4.
- B. Create two Azure Cosmos DB accounts, one for CosmosDB2 and CosmosDB4 and one for CosmosDB1 and CosmosDB3.
- C. Create one Azure Cosmos DB account for each database.
- D. Create three Azure Cosmos DB accounts, one for the databases that use the MongoDB API, one for CosmosDB1, and one for CosmosDB3.

**Answer: BD**

**Explanation:**

Note:

Microsoft recommends using the same API for all access to the data in a given account.

One throughput provisioned container per subscription for SQL, Gremlin API, and Table accounts. Up to three throughput provisioned collections per subscription for MongoDB accounts. The throughput provisioned on an Azure Cosmos container is exclusively reserved for that container. The container receives the provisioned throughput all the time.

Incorrect Answers:

A: DB2 and DB4 can use the same account.

C: The most costly alternative.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/set-throughput#set-throughput-on-a-container>

### QUESTION 35

You have three Azure SQL Database servers shown in the following table.

Name	Resource group	Location
sqlserver1	RG1	West US
sqlserver2	RG1	West US
sqlserver3	RG2	West US
sqlserver4	RG1	West Europe
sqlserver5	RG2	West Europe

You plan to specify sqlserver1 as the primary server in a failover group.

Which servers can be used as a secondary server?

- A. sqlserver4 and sqlserver5 only
- B. sqlserver2 and sqlserver3 only
- C. sqlserver1 and sqlserver3 only
- D. sqlserver2 and sqlserver4 only

**Answer: D**

**Explanation:**

The Resource Group must be the same.

The secondary server can have another location.

The secondary server cannot be the same as the primary server.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/auto-failover-group-configure>

### QUESTION 36

You have two Azure SQL Database managed instances in different Azure regions.

You plan to configure the managed instances in an instance failover group.

What should you configure before you can add the managed instances to the instance failover group?

- A. an internal Azure Load Balancer instance that has managed instance endpoints in a backend pool
- B. Azure Private Link that has endpoints on two virtual networks
- C. an Azure Application Gateway that has managed instance endpoints in a backend pool
- D. a Site-to-Site VPN between the virtual networks that contain the instances

**Answer: D**

**Explanation:**

For two managed instances to participate in a failover group, there must be either ExpressRoute or a gateway configured between the virtual networks of the two managed instances to allow network communication.

You create the two VPN gateways and connect them.

1. Create the gateway for the virtual network of your primary managed instance using the Azure portal.
2. Create the gateway for the virtual network of your secondary managed instance using the Azure portal.
3. Create a bidirectional connection between the two gateways of the two virtual networks.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/failover-group-add-instance-tutorial?tabs=azure-portal#4---create-a-primary-gateway>

**QUESTION 37**

Hotspot Question

You plan to create an Azure Storage account in the Azure region of East US 2.

You need to create a storage account that meets the following requirements:

- Replicates synchronously
- Remains available if a single data center in the region fails

How should you configure the storage account? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Replication:

Geo-redundant storage (GRS)
Locally-redundant storage (LRS)
Read-access geo-redundant storage (RA GRS)
Zone-redundant storage (ZRS)

Account type:

Blob storage
Storage (general purpose v1)
StorageV2 (general purpose v2)

**Answer:**

**Answer Area**

Replication:

Geo-redundant storage (GRS)
Locally-redundant storage (LRS)
Read-access geo-redundant storage (RA GRS)
<b>Zone-redundant storage (ZRS) —</b>

Account type:

Blob storage
Storage (general purpose v1)
<b>StorageV2 (general purpose v2) —</b>

**Explanation:**

Box 1: Zone-redundant storage (ZRS)

Zone-redundant storage (ZRS) replicates your data synchronously across three storage clusters in a single region.

LRS would not remain available if a data center in the region fails GRS and RA GRS use asynchronous replication.

Box 2: StorageV2 (general purpose V2)

ZRS only support GPv2.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy-zrs>

**QUESTION 38**

Hotspot Question

You plan to deploy an Azure virtual machine named VM1 by using an Azure Resource Manager template.

You need to complete the template.

What should you include in the template? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

```
{
  "type": "Microsoft.Compute/virtualMachines",
  "apiVersion": "2018-10-01",
  "name": "VM1",
  "location": "[parameters('location')]",
  "dependsOn": [
    "[resourceId('Microsoft.Storage/storageAccounts/', variables('Name3'))]",
    "[resourceId(
      'Microsoft.Network/publicIPAddresses/',
      'Microsoft.Network/virtualNetworks/',
      'Microsoft.Network/networkInterfaces/' —
      'Microsoft.Network/virtualNetworks/subnets'
      'Microsoft.Storage/storageAccounts/'
    ), variables('Name4')]"
  ],
}

{
  "type": "Microsoft.Network/networkInterfaces",
  "apiVersion": "2018-11-01",
  "name": "NIC1",
  "location": "[parameters('location')]",
  "dependsOn": [
    "[resourceId('Microsoft.Network/publicIPAddresses/', variables('Name1'))]",
    "[resourceId(
      'Microsoft.Network/publicIPAddresses/',
      'Microsoft.Network/virtualNetworks/' —
      'Microsoft.Network/networkInterfaces/'
      'Microsoft.Network/virtualNetworks/subnets'
      'Microsoft.Storage/storageAccounts/'
    ), variables('Name2')]"
  ],
},
```

**Answer:**

**Answer Area**

```
{
  "type": "Microsoft.Compute/virtualMachines",
  "apiVersion": "2018-10-01",
  "name": "VM1",
  "location": "[parameters('location')]",
  "dependsOn": [
    "[resourceId('Microsoft.Storage/storageAccounts/', variables('Name3'))]",
    "[resourceId(
      [
        'Microsoft.Network/publicIPAddresses/'
        'Microsoft.Network/virtualNetworks/'
        'Microsoft.Network/networkInterfaces/'
        'Microsoft.Network/virtualNetworks/subnets'
        'Microsoft.Storage/storageAccounts/'
      ],
      variables('Name4'))]"
  ],
  {
    "type": "Microsoft.Network/networkInterfaces",
    "apiVersion": "2018-11-01",
    "name": "NIC1",
    "location": "[parameters('location')]",
    "dependsOn": [
      "[resourceId('Microsoft.Network/publicIPAddresses/', variables('Name1'))]",
      "[resourceId(
        [
          'Microsoft.Network/publicIPAddresses/'
          'Microsoft.Network/virtualNetworks/'
          'Microsoft.Network/networkInterfaces/'
          'Microsoft.Network/virtualNetworks/subnets'
          'Microsoft.Storage/storageAccounts/'
        ],
        variables('Name2'))]"
    ],
  },
}
```

**Explanation:**

Within your template, the dependsOn element enables you to define one resource as a dependent on one or more resources. Its value can be a comma-separated list of resource names.

Box 1: 'Microsoft.Network/networkInterfaces'

This resource is a virtual machine. It depends on two other resources:

Microsoft.Storage/storageAccounts

Microsoft.Network/networkInterfaces

Box 2: 'Microsoft.Network/virtualNetworks/'

The dependsOn element enables you to define one resource as a dependent on one or more resources.

The resource depends on two other resources:

Microsoft.Network/publicIPAddresses

Microsoft.Network/virtualNetworks

```

"resources": [
  {
    "type": "Microsoft.Network/networkInterfaces",
    "name": "[variables('nicName')]",
    "location": "[parameters('location')]",
    "apiVersion": "2018-08-01",
    "dependsOn": [
      "[resourceId('Microsoft.Network/publicIPAddresses/', variables('publicIPAddressName'))]",
      "[resourceId('Microsoft.Network/virtualNetworks/', variables('virtualNetworkName'))]"
    ],
    "properties": {
      "ipConfigurations": [
        {
          "name": "ipconfig1",
          "properties": {
            "privateIPAllocationMethod": "Dynamic",
            "publicIPAddress": {
              "id": "[resourceId('Microsoft.Network/publicIPAddresses/', variables('publicIPAddressName'))]"
            },
            "subnet": {
              "id": "[variables('subnetRef')]"
            }
          }
        }
      ]
    }
  }
]

```

Reference:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-manager-tutorial-create-templates-with-dependent-resources>

**QUESTION 39**

Hotspot Question

Your network contains an Active Directory domain named adatum.com and an Azure Active Directory (Azure AD) tenant named adatum.onmicrosoft.com. Adatum.com contains the user accounts in the following table.

Name	Member of
User1	Domain Admins
User2	Schema Admins
User3	Incoming Forest Trust Builders
User4	Replicator
User5	Enterprise Admins

Adatum.onmicrosoft.com contains the user accounts in the following table.

Name	Role
UserA	Global administrator
UserB	User administrator
UserC	Security administrator
UserD	Service administrator

You need to implement Azure AD Connect. The solution must follow the principle of least privilege. Which user accounts should you use in Adatum.com and Adatum.onmicrosoft.com to implement Azure AD Connect? To answer select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

## Answer Area

Adatum.com:

	▼
User1	
User2	
User3	
User4	
User5	—

Adatum.onmicrosoft.com:

	▼
UserA	—
UserB	
UserC	
UserD	

Answer:

## Answer Area

Adatum.com:

	▼
User1	
User2	
User3	
User4	
User5	

Adatum.onmicrosoft.com:

	▼
UserA	
UserB	
UserC	
UserD	

### Explanation:

Box 1: User5

In Express settings, the installation wizard asks for the following:

AD DS Enterprise Administrator credentials

Azure AD Global Administrator credentials

The AD DS Enterprise Admin account is used to configure your on-premises Active Directory. These credentials are only used during the installation and are not used after the installation has completed. The Enterprise Admin, not the Domain Admin should make sure the permissions in Active Directory can be set in all domains.

Box 2: UserA

Azure AD Global Admin credentials are only used during the installation and are not used after the installation has completed. It is used to create the Azure AD Connector account used for synchronizing changes to Azure AD. The account also enables sync as a feature in Azure AD.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/connect/active-directory-aadconnect-accounts-permissions>

### QUESTION 40

Hotspot Question

You have an Azure subscription that contains the resource groups shown in the following table.

Name	Location
RG1	West US
RG2	East US

You create an Azure Resource Manager template named Template1 as shown in the following exhibit.

```
{
  "$schema": "http://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json#",
  "contentVersion": "1.0.0.0",
  "parameters": {
    "name": {
      "type": "String"
    },
    "location": {
      "defaultValue": "westus",
      "type": "String"
    }
  },
  "variables": {
    "location": "[resourceGroup().location]"
  },
  "resources": [
    {
      "type": "Microsoft.Network/publicIPAddresses",
      "apiVersion": "2019-11-01",
      "name": "[parameters('name')]",
      "location": "[variables('location')]",
      "sku": {
        "name": "Basic"
      },
      "properties": {
        "publicIPAddressVersion": "IPv4",
        "publicIPAllocationMethod": "Dynamic",
        "idleTimeoutInMinutes": 4,
        "ipTags": []
      }
    }
  ]
}
```

From the Azure portal, you deploy Template1 four times by using the settings shown in the following table.

Resource group	Name	Location
RG1	IP1	westus
RG1	IP2	westus
RG2	IP1	westus
RG2	IP3	westus

What is the result of the deployment? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

**Answer Area**

Number of public IP addresses in West US:

	▼
1	
2	-
3	
4	

Total number of public IP addresses created:

	▼
1	
2	
3	
4	-

Answer:

**Answer Area**

Number of public IP addresses in West US:

	▼
1	
2	
3	
4	

Total number of public IP addresses created:

	▼
1	
2	
3	
4	

**QUESTION 41**

Hotspot Question

You have an Azure subscription that contains multiple resource groups. You create an availability set as shown in the following exhibit.

## Create availability set

[Basics](#) [Advanced](#) [Tags](#) [Review + create](#)

An Availability Set is a logical grouping capability for isolating VM resources from each other when they're deployed. Azure makes sure that the VMs you place within an Availability Set run across multiple physical servers, compute racks, storage units, and network switches. If a hardware or software failure happens, only a subset of your VMs are impacted and your overall solution stays operational. Availability Sets are essential for building reliable cloud solutions.

[Learn more about the availability sets.](#)

### Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription \* ⓘ

Azure Pass - Sponsorship

Resource group \* ⓘ

RG1

[Create new](#)

### Instance details

Name \* ⓘ

AS1

Region \* ⓘ

(Europe) West Europe

Fault domains ⓘ

2

Update domains ⓘ

3

Use managed disks ⓘ

No (Classic) **Yes (Aligned)**

You deploy 10 virtual machines to AS1.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

**Answer Area**

During planned maintenance, at least **[answer choice]** virtual machines will be available.

	▼
4	
5	
6	-
8	

To add another virtual machine to AS1, the virtual machine must be added to **[answer choice]**.

	▼
any region and the RG1 resource group	
the West Europe region and any resource group	
the West Europe region and the RG1 resource group	-

**Answer:**  
**Answer Area**

During planned maintenance, at least **[answer choice]** virtual machines will be available.

	▼
4	
5	
6	
8	

To add another virtual machine to AS1, the virtual machine must be added to **[answer choice]**.

	▼
any region and the RG1 resource group	
the West Europe region and any resource group	
the West Europe region and the RG1 resource group	

**Explanation:**

Box 1: 6

Two out of three update domains would be available, each with at least 3 VMs. An update domain is a group of VMs and underlying physical hardware that can be rebooted at the same time.

As you create VMs within an availability set, the Azure platform automatically distributes your VMs across these update domains. This approach ensures that at least one instance of your application always remains running as the Azure platform undergoes periodic maintenance.

Box 2: the West Europe region and the RG1 resource group

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/regions>

**QUESTION 42**

Hotspot Question

You have an Azure Resource Manager template for a virtual machine named Template1. Template1 has the following parameters section.

```
"parameters": {
  "adminUsername": {
    "type": "string"
  },
  "adminPassword": {
    "type": "securestring"
  },
  "dnsLabelPrefix": {
    "type": "string"
  },
  "windowsOSVersion": {
    "type": "string",
    "defaultValue": "2016-Datacenter",
    "allowedValues": [
      "2016-Datacenter",
      "2019-Datacenter",
    ]
  },
  "location": {
    "type": "String",
    "allowedValues": [
      "eastus",
      "centralus",
      "westus" ]
  }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
When you deploy Template1, you are prompted for a resource group.	<input checked="" type="radio"/>	<input type="radio"/>
When you deploy Template1, you are prompted for the Windows operating system version.	<input type="radio"/>	<input checked="" type="radio"/>
When you deploy Template1, you are prompted for a location.	<input checked="" type="radio"/>	<input type="radio"/>

**Answer:**

**Answer Area**

Statements	Yes	No
When you deploy Template1, you are prompted for a resource group.	<input checked="" type="radio"/>	<input type="radio"/>
When you deploy Template1, you are prompted for the Windows operating system version.	<input type="radio"/>	<input checked="" type="radio"/>
When you deploy Template1, you are prompted for a location.	<input checked="" type="radio"/>	<input type="radio"/>

**Explanation:**

Box 1: Yes

The Resource group is not specified.

Box 2: No

The default value for the operating system is Windows 2016 Datacenter.

Box 3: Yes

Location is no default value.

Reference:

<https://docs.microsoft.com/bs-latn-ba/azure/virtual-machines/windows/ps-template>

**QUESTION 43**

Hotspot Question

You have an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2

The tenant contains computers that run Windows 10. The computers are configured as shown in the following table.

Name	Member of
Computer1	GroupA
Computer2	GroupA
Computer3	GroupB

You enable Enterprise State Roaming in contoso.com for Group1 and GroupA.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
If User1 modifies the desktop background of Computer1, User1 will see the changed background when signing in to Computer3.	<input checked="" type="radio"/>	<input type="radio"/>
If User2 modifies the desktop background of Computer1, User2 will see the changed background when signing in to Computer2.	<input type="radio"/>	<input checked="" type="radio"/>
If User1 modifies the desktop background of Computer3, User1 will see the changed background when signing in to Computer2.	<input checked="" type="radio"/>	<input type="radio"/>

Answer:

**Answer Area**

Statements	Yes	No
If User1 modifies the desktop background of Computer1, User1 will see the changed background when signing in to Computer3.	<input checked="" type="radio"/>	<input type="radio"/>
If User2 modifies the desktop background of Computer1, User2 will see the changed background when signing in to Computer2.	<input type="radio"/>	<input checked="" type="radio"/>
If User1 modifies the desktop background of Computer3, User1 will see the changed background when signing in to Computer2.	<input checked="" type="radio"/>	<input type="radio"/>

**Explanation:**

Enterprise State Roaming provides users with a unified experience across their Windows devices and reduces the time needed for configuring a new device.

Box 1: Yes

Box 2: No

Box 3: Yes

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/enterprise-state-roaming-overview>

**QUESTION 44**

Hotspot Question

You have an Azure Resource Manager template named Template1 in the library as shown in the following exhibit.

## ARM Template

template1

```

1  {
2    "$schema": "https://schema.management.azure.com/
schemas/2015-01-01/deploymentTemplate.json#",
3    "contentVersion": "1.0.0.0",
4    "parameters": {},
5    "resources": [
6      {
7        "apiVersion": "2016-01-01",
8        "type": "Microsoft.Storage/storageAccounts",
9        "name": "[concat(copyIndex(), 'storage',
uniqueString(resourceGroup().id))]",
10       "location": "[resourceGroup().location]",
11       "sku": {
12         "name": "Premium_LRS"
13       },
14       "kind": "Storage",
15       "properties": {},
16       "copy": {
17         "name": "storagecopy",
18         "count": 3,
19         "mode": "Serial",
20         "batchSize": 1
21       }
22     }
23   ]
24 }
25 }
26

```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

### Answer Area

During the deployment of Template1, you can specify **[answer choice]**.

	▼
the number of resources to deploy	
the name of the resources to deploy	
the resource group to which to deploy the resources <input checked="" type="checkbox"/>	
the permissions for the resources that will be deployed	

Template1 deploys **[answer choice]**.

	▼
a single storage account in one resource group	
three storage accounts in one resource group <input checked="" type="checkbox"/>	
three resource groups that each has one storage account	
three resource groups that each has three storage accounts	

Answer:

**Answer Area**

During the deployment of Template1, you can specify [answer choice].

<input type="text"/>	▼
the number of resources to deploy	
the name of the resources to deploy	
the resource group to which to deploy the resources	
the permissions for the resources that will be deployed	

Template1 deploys [answer choice].

<input type="text"/>	▼
a single storage account in one resource group	
three storage accounts in one resource group	
three resource groups that each has one storage account	
three resource groups that each has three storage accounts	

**Explanation:**


<https://docs.microsoft.com/en-us/azure/azure-resource-manager/templates/template-syntax>

**QUESTION 45**

Hotspot Question

Your company hosts multiple websites by using Azure virtual machine scale sets (VMSS) that run Internet Information Server (IIS).

All network communications must be secured by using end to end Secure Socket Layer (SSL) encryption. User sessions must be routed to the same server by using cookie-based session affinity. The image shown depicts the network traffic flow for the websites to the VMSS.



Use the drop-down menus to select the answer choice that answers each question.

NOTE: Each correct selection is worth one point.

**Answer Area**

Which Azure solution should you create to route the web application traffic to the VMSS?

	▼
Azure VPN Gateway	
Azure Application Gateway	
Azure ExpressRoute	
Azure Network Watcher	

What should you configure to make sure web traffic arrives at the appropriate server in the VMSS?

	▼
Routing rules and backend listeners	
CNAME and A records	
Routing method and DNS time to live (TTL)	
Path-based redirection and WebSockets	

**Answer:**

**Answer Area**

Which Azure solution should you create to route the web application traffic to the VMSS?

	▼
Azure VPN Gateway	
Azure Application Gateway	
Azure ExpressRoute	
Azure Network Watcher	

What should you configure to make sure web traffic arrives at the appropriate server in the VMSS?

	▼
Routing rules and backend listeners	
CNAME and A records	
Routing method and DNS time to live (TTL)	
Path-based redirection and WebSockets	

**Explanation:**

Box 1: Azure Application Gateway

You can create an application gateway with URL path-based redirection using Azure PowerShell.

Box 2: Path-based redirection and Websockets

Reference:

<https://docs.microsoft.com/bs-latn-ba/azure/application-gateway/tutorial-url-redirect-powershell>

**QUESTION 46**

Drag and Drop Question

You have an Azure subscription that contains two virtual networks named VNet1 and VNet2. Virtual machines connect to the virtual networks.

The virtual networks have the address spaces and the subnets configured as shown in the following table.

Virtual network	Address space	Subnet	Peering
VNet1	10.1.0.0/16	10.1.0.0/24 10.1.1.0/26	VNet2
VNet2	10.2.0.0/26	10.2.0.0/24	VNet1

You need to add the address space of 10.33.0.0/16 to VNet1. The solution must ensure that the hosts on VNet1 and VNet2 can communicate.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

3 On the peering connection in VNet2, allow gateway transit.

Recreate peering between VNet1 and VNet2.

Remove VNet1.

Create a new virtual network named VNet1.

On the peering connection in VNet1, allow gateway transit.

2 Add the 10.33.0.0/16 address space to VNet1.

1 Remove peering between VNet1 and VNet2.

**Answer Area**

**Answer:**

**Actions**

On the peering connection in VNet2, allow gateway transit.

Remove VNet1.

Create a new virtual network named VNet1.

On the peering connection in VNet1, allow gateway transit.

**Answer Area**

Remove peering between VNet1 and VNet2.

Add the 10.33.0.0/16 address space to VNet1.

Recreate peering between VNet1 and VNet2.

**Explanation:**

Step 1: Remove peering between Vnet1 and VNet2.  
You can't add address ranges to, or delete address ranges from a virtual network's address space once a virtual network is peered with another virtual network. To add or remove address ranges, delete the peering, add or remove the address ranges, then re-create the peering.

Step 2: Add the 10.44.0.0/16 address space to VNet1.

Step 3: Recreate peering between VNet1 and VNet2

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-manage-peering>

**QUESTION 47**

Hotspot Question

You have an Azure subscription named Subscription1. Subscription1 contains the resources in the following table.

Name	Type
RG1	Resource group
RG2	Resource group
VNet1	Virtual network
VNet2	Virtual network

VNet1 is in RG1. VNet2 is in RG2. There is no connectivity between VNet1 and VNet2. An administrator named Admin1 creates an Azure virtual machine named VM1 in RG1. VM1 uses a disk named Disk1 and connects to VNet1. Admin1 then installs a custom application in VM1. You need to move the custom application to VNet2. The solution must minimize administrative effort.

Which two actions should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

### Answer Area

First action:

	▼
Create a network interface in RG2.	
Detach a network interface.	
Delete VM1. —	
Move a network interface to RG2.	

Second action:

	▼
Attach a network interface.	
Create a network interface in RG2.	
Create a new virtual machine. —	
Move VM1 to RG2.	

Answer:

**Answer Area**

First action:

	▼
Create a network interface in RG2.	
Detach a network interface.	
Delete VM1.	
Move a network interface to RG2.	

Second action:

	▼
Attach a network interface.	
Create a network interface in RG2.	
Create a new virtual machine.	
Move VM1 to RG2.	

**Explanation:**

We cannot just move a virtual machine between networks. What we need to do is identify the disk used by the VM, delete the VM itself while retaining the disk, and recreate the VM in the target virtual network and then attach the original disk to it.

Reference:

<https://blogs.technet.microsoft.com/canitpro/2014/06/16/step-by-step-move-a-vm-to-a-different-vnet-on-azure/>

<https://4sysops.com/archives/move-an-azure-vm-to-another-virtual-network-vnet/#migrate-an-azure-vm-between-vnets>

**QUESTION 48**

Hotspot Question

You company has an Azure Container Registry named Registry1.

You have an Azure virtual machine named Server1 that runs Windows Server 2019.

From Server1, you create a container image named image1.

You need to add image1 to Registry1.

Which command should you run on Server1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

	▼	push		▼
docker --			registry1.azurecr.io --	
AzCopy			registry1.onmicrosoft.com	
Robocopy			https://registry1.onmicrosoft.com	
esentutl			\\registry1.blob.core.windows.net	

Answer:

**Answer Area**

	push																	
<table border="1" style="width: 100%;"> <tr><td style="background-color: #e0f0e0;">docker</td><td style="text-align: right;">▼</td></tr> <tr><td>AzCopy</td><td></td></tr> <tr><td>Robocopy</td><td></td></tr> <tr><td>esentutl</td><td></td></tr> </table>	docker	▼	AzCopy		Robocopy		esentutl			<table border="1" style="width: 100%;"> <tr><td style="background-color: #e0f0e0;">registry1.azurecr.io</td><td style="text-align: right;">▼</td></tr> <tr><td>registry1.onmicrosoft.com</td><td></td></tr> <tr><td>https://registry1.onmicrosoft.com</td><td></td></tr> <tr><td>\\registry1.blob.core.windows.net</td><td></td></tr> </table>	registry1.azurecr.io	▼	registry1.onmicrosoft.com		https://registry1.onmicrosoft.com		\\registry1.blob.core.windows.net	
docker	▼																	
AzCopy																		
Robocopy																		
esentutl																		
registry1.azurecr.io	▼																	
registry1.onmicrosoft.com																		
https://registry1.onmicrosoft.com																		
\\registry1.blob.core.windows.net																		

**Explanation:**

An Azure container registry stores and manages private Docker container images, similar to the way Docker Hub stores public Docker images. You can use the Docker command-line interface (Docker CLI) for login, push, pull, and other operations on your container registry.

Reference:

<https://docs.microsoft.com/en-us/azure/container-registry/container-registry-get-started-docker-cli>  
<https://docs.docker.com/engine/reference/commandline/push/>

**QUESTION 49**

Hotspot Question

You are developing an Azure Web App. You configure TLS mutual authentication for the web app. You need to validate the client certificate in the web app. To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Property	Value										
Client certificate location	<table border="1" style="width: 100%;"> <tr><td style="background-color: #e0e0e0;"></td><td style="text-align: right;">▼</td></tr> <tr><td>HTTP request header -</td><td></td></tr> <tr><td>Client cookie</td><td></td></tr> <tr><td>HTTP message body</td><td></td></tr> <tr><td>URL query string</td><td></td></tr> </table>		▼	HTTP request header -		Client cookie		HTTP message body		URL query string	
	▼										
HTTP request header -											
Client cookie											
HTTP message body											
URL query string											
Encoding type	<table border="1" style="width: 100%;"> <tr><td style="background-color: #e0e0e0;"></td><td style="text-align: right;">▼</td></tr> <tr><td>HTML</td><td></td></tr> <tr><td>URL</td><td></td></tr> <tr><td>Unicode</td><td></td></tr> <tr><td>Base64 -</td><td></td></tr> </table>		▼	HTML		URL		Unicode		Base64 -	
	▼										
HTML											
URL											
Unicode											
Base64 -											

Answer:

**Answer Area**

Property	Value						
Client certificate location	<table border="1"> <tr><td></td><td style="text-align: right;">▼</td></tr> <tr style="background-color: #d9ead3;"><td>HTTP request header</td></tr> <tr><td>Client cookie</td></tr> <tr><td>HTTP message body</td></tr> <tr><td>URL query string</td></tr> </table>		▼	HTTP request header	Client cookie	HTTP message body	URL query string
	▼						
HTTP request header							
Client cookie							
HTTP message body							
URL query string							
Encoding type	<table border="1"> <tr><td></td><td style="text-align: right;">▼</td></tr> <tr><td>HTML</td></tr> <tr><td>URL</td></tr> <tr><td>Unicode</td></tr> <tr style="background-color: #d9ead3;"><td>Base64</td></tr> </table>		▼	HTML	URL	Unicode	Base64
	▼						
HTML							
URL							
Unicode							
Base64							

**QUESTION 50**

Drag and Drop Question

You are designing a solution to secure a company's Azure resources. The environment hosts 10 teams. Each team manages a project and has a project manager, a virtual machine (VM) operator, developers, and contractors.

Project managers must be able to manage everything except access and authentication for users. VM operators must be able to manage VMs, but not the virtual network or storage account to which they are connected. Developers and contractors must be able to manage storage accounts. You need to recommend roles for each member.

What should you recommend? To answer, drag the appropriate roles to the correct employee types. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Roles	Answer Area										
Owner											
Contributor	<table border="1"> <thead> <tr> <th style="text-align: left;">Employee type</th> <th style="text-align: left;">Role</th> </tr> </thead> <tbody> <tr> <td>Project manager</td> <td>Role 1</td> </tr> <tr> <td>VM operators</td> <td>Role 2</td> </tr> <tr> <td>Developers</td> <td>Role 3</td> </tr> <tr> <td>Contractors</td> <td>Role 3</td> </tr> </tbody> </table>	Employee type	Role	Project manager	Role 1	VM operators	Role 2	Developers	Role 3	Contractors	Role 3
Employee type	Role										
Project manager	Role 1										
VM operators	Role 2										
Developers	Role 3										
Contractors	Role 3										
Reader											
Virtual Machine Contributor											
Storage Account Contributor											

Answer:

**Roles**

Owner
Contributor
Reader
Virtual Machine Contributor
Storage Account Contributor

**Answer Area**

Employee type	Role
Project manager	Contributor
VM operators	Virtual Machine Contributor
Developers	Storage Account Contributor
Contractors	Storage Account Contributor

**QUESTION 51**

Hotspot Question

Your company has a virtualization environment that contains the virtualization hosts shown in the following table.

Name	Hypervisor	Guest
Server1	VMware	VM1, VM2, VM3
Server2	Hyper-V	VMA, VMB, VMC

The virtual machines are configured as shown in the following table.

Name	Generation	Memory	Operating system (OS)	OS disk	Data disk
VM1	<i>Not applicable</i>	4 GB	Windows Server 2016	200 GB	800 GB
VM2	<i>Not applicable</i>	12 GB	Red Hat Enterprise Linux 7.2	3 TB	200 GB
VM3	<i>Not applicable</i>	32 GB	Windows Server 2012 R2	200 GB	1 TB
VMA	1	8 GB	Windows Server 2012	100 GB	2 TB
VMB	1	16 GB	Red Hat Enterprise Linux 7.2	150 GB	3 TB
VMC	2	24 GB	Windows Server 2016	500 GB	6 TB

All the virtual machines use basic disks. VM1 is protected by using BitLocker Drive Encryption (BitLocker).

You plan to migrate the virtual machines to Azure by using Azure Site Recovery.

You need to identify which virtual machines can be migrated.

Which virtual machines should you identify for each server? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

The virtual machines that can be migrated from Server1:

	▼
VM1 only	
VM2 only	
VM3 only —	
VM1 and VM2 only	
VM1 and VM3 only	
VM1, VM2, and VM3	

The virtual machines that can be migrated from Server2:

	▼
VMA only	
VMB only	
VMC only	
VMA and VMB only —	
VMA and VMC only	
VMA, VMB, and VMC	

**Answer:**

**Answer Area**

The virtual machines that can be migrated from Server1:

	▼
VM1 only	
VM2 only	
VM3 only	
VM1 and VM2 only	
VM1 and VM3 only	
VM1, VM2, and VM3	

The virtual machines that can be migrated from Server2:

	▼
VMA only	
VMB only	
VMC only	
VMA and VMB only	
VMA and VMC only	
VMA, VMB, and VMC	

**Explanation:**

Incorrect Answers:

VM1 cannot be migrates as it has BitLocker enabled.

VM2 cannot be migrates as the OS disk on VM2 is larger than 2TB. VMC cannot be migrates as the Data disk on VMC is larger than 4TB.

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/hyper-v-azure-support-matrix#azure-vm-requirements>

**QUESTION 52**

Hotspot Question

You have an Azure Active Directory (Azure AD) tenant.

You need to create a conditional access policy that requires all users to use multi-factor authentication when they access the Azure portal.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

\* Name

Policy1 ✓

### Assignments

Users and groups ⓘ — >  
0 users and groups selected

Cloud apps ⓘ — >  
0 cloud apps selected

Conditions ⓘ >  
0 conditions selected

### Access controls

Grant ⓘ — >  
0 controls selected

Session ⓘ >  
0 controls selected

### Enable policy

On  Off

Answer:

\* Name

Policy1 ✓

### Assignments

- Users and groups ⓘ  
0 users and groups selected >
- Cloud apps ⓘ  
0 cloud apps selected >
- Conditions ⓘ  
0 conditions selected >

### Access controls

- Grant ⓘ  
0 controls selected >
- Session ⓘ  
0 controls selected >

### Enable policy

On  Off

**Explanation:**

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/app-based-mfa>

**QUESTION 53**

Hotspot Question

You have an Azure Active Directory (Azure AD) tenant that contains the user groups shown in the following table.

Name	Role	Member of
User1	Global administrator	None
User2	User administrator	Group1
User3	Password administrator	Group1
User4	None	Group1

You enable self-service password reset (SSPR) for Group1.

You configure the Notifications settings as shown in the following exhibit.

Save X Discard

Notify users on password resets? ⓘ

Yes No

Notify all admins when other admins reset their password? ⓘ

Yes No

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
User1 gets a notification when User3 resets her password by using SSPR.	<input checked="" type="radio"/>	<input type="radio"/>
User3 gets a notification when User3 resets her password by using SSPR.	<input type="radio"/>	<input checked="" type="radio"/>
User1 gets a notification when User2 resets the password of User4.	<input checked="" type="radio"/>	<input type="radio"/>

?

Answer:

**Answer Area**

Statements	Yes	No
User1 gets a notification when User3 resets her password by using SSPR.	<input checked="" type="radio"/>	<input type="radio"/>
User3 gets a notification when User3 resets her password by using SSPR.	<input type="radio"/>	<input checked="" type="radio"/>
User1 gets a notification when User2 resets the password of User4.	<input type="radio"/>	<input checked="" type="radio"/>

**Explanation:**

Box 1: Yes

Notify all admins when other admins reset their passwords: Yes.

Box 2: No

Notify users on password resets: No.

Box 3: No

Notify users on password resets

If this option is set to Yes, then users resetting their password receive an email notifying them that their password has been changed. The email is sent via the SSPR portal to their primary and alternate email addresses that are on file in Azure AD. No one else is notified of the reset event.

Notify all admins when other admins reset their passwords

If this option is set to Yes, then all administrators receive an email to their primary email address on file in Azure AD. The email notifies them that another administrator has changed their password by using SSPR.

Example: There are four administrators in an environment. Administrator A resets their password by using SSPR. Administrators B, C, and D receive an email alerting them of the password reset.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-howitworks>

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-sspr>

**QUESTION 54**

Hotspot Question

You have an Azure logic app named App1 and an Azure Service Bus queue named Queue1. You need to ensure that App1 can read messages from Queue1. App1 must authenticate by using Azure Active Directory (Azure AD).

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

On App1:

	▼
Add a logic app step	
Configure Access control (IAM)	
Regenerate the access key	
Turn on the managed identity —	

On Queue1:

	▼
Add a read-only lock	
Add a shared access policy	
Configure Access control (IAM) —	
Modify the properties	

Answer:

**Answer Area**

On App1:

	▼
Add a logic app step	
Configure Access control (IAM)	
Regenerate the access key	
Turn on the managed identity	

On Queue1:

	▼
Add a read-only lock	
Add a shared access policy	
Configure Access control (IAM)	
Modify the properties	

**Explanation:**

On App1: Turn on the managed identity

To use Service Bus with managed identities, you need to assign the identity the role and the appropriate scope. The procedure in this section uses a simple application that runs under a managed identity and accesses Service Bus resources.

Once the application is created, follow these steps:

1. Go to Settings and select Identity.

2. Select the Status to be On.

3. Select Save to save the setting.

On Queue1: Configure Access Control (IAM)

Azure Active Directory (Azure AD) authorizes access rights to secured resources through role-based access control (RBAC). Azure Service Bus defines a set of built-in RBAC roles that encompass common sets of permissions used to access Service Bus entities and you can also define custom roles for accessing the data.

Assign RBAC roles using the Azure portal

In the Azure portal, navigate to your Service Bus namespace. Select Access Control (IAM) on the left menu to display access control settings for the namespace. If you need to create a Service Bus namespace.

Select the Role assignments tab to see the list of role assignments. Select the Add button on the toolbar and then select Add role assignment.

Reference:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/authenticate-application>

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-managed-service-identity>

### QUESTION 55

Hotspot Question

You have an Azure subscription.

You plan to deploy an app that has a web front end and an application tier.

You need to recommend a load balancing solution that meets the following requirements:

Internet to web tier:

- Provides URL-based routing
- Supports connection draining
- Prevents SQL injection attacks

Web tier to application tier:

- Provides port forwarding
- Supports HTTPS health probes
- Supports an availability set as a backend pool

Which load balancing solution should you recommend for each tier? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

#### Answer Area

Internet to web tier:

	▼
An Azure Application Gateway that has a web application firewall (WAF)	<input checked="" type="checkbox"/>
An internal Azure Standard Load Balancer	<input type="checkbox"/>
A public Azure Basic Load Balancer	<input type="checkbox"/>

Web tier to application tier:

	▼
An Azure Application Gateway that has a web application firewall (WAF)	<input type="checkbox"/>
An internal Azure Standard Load Balancer	<input checked="" type="checkbox"/>
A public Azure Basic Load Balancer	<input type="checkbox"/>

Answer:

**Answer Area**

Internet to web tier:

▼
An Azure Application Gateway that has a web application firewall (WAF)
An internal Azure Standard Load Balancer
A public Azure Basic Load Balancer

Web tier to application tier:

▼
An Azure Application Gateway that has a web application firewall (WAF)
An internal Azure Standard Load Balancer
A public Azure Basic Load Balancer

**Explanation:**

Box 1: An Azure Application Gateway that has a web application firewall (WAF) Azure Application Gateway offers a web application firewall (WAF) that provides centralized protection of your web applications from common exploits and vulnerabilities. Web applications are increasingly targeted by malicious attacks that exploit commonly known vulnerabilities. SQL injection and cross-site scripting are among the most common attacks.

Application Gateway operates as an application delivery controller (ADC). It offers Secure Sockets Layer (SSL) termination, cookie-based session affinity, round-robin load distribution, content-based routing, ability to host multiple websites, and security enhancements.

Box 2: An internal Azure Standard Load Balancer

The internet to web tier is the public interface, while the web tier to application tier should be internal.

Note: When using load-balancing rules with Azure Load Balancer, you need to specify a health probes to allow Load Balancer to detect the backend endpoint status.

Health probes support the TCP, HTTP, HTTPS protocols.

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/waf-overview>

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-custom-probe-overview>

**QUESTION 56**

Hotspot Question

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. You add the users in the following table.

User	Role
User1	Owner
User2	Security Admin
User3	Network Contributor

Which user can perform each configuration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Add a subnet to VNet1:

	▼
User1 only	
User3 only	
User1 and User3 only —	
User2 and User3 only	
User1, User2, and User3	

Assign a user the Reader role to VNet1:

	▼
User1 only —	
User2 only	
User3 only	
User1 and User2 only	
User2 and User3 only	
User1, User2, and User3	

**Answer:**  
**Answer Area**

Add a subnet to VNet1:

	▼
User1 only	
User3 only	
User1 and User3 only	
User2 and User3 only	
User1, User2, and User3	

Assign a user the Reader role to VNet1:

	▼
User1 only	
User2 only	
User3 only	
User1 and User2 only	
User2 and User3 only	
User1, User2, and User3	

**Explanation:**

Box 1: User1 only.

User1: The Owner Role lets you manage everything, including access to resources. Not User3:  
The Network Contributor role lets you manage networks, but not access to them.

Box 2: User1 and User2 only

The Security Admin role: In Security Center only: Can view security policies, view security states, edit security policies, view alerts and recommendations, dismiss alerts and recommendations.

Reference:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

**QUESTION 57**

Hotspot Question

A company runs multiple Windows virtual machines (VMs) in Azure.

The IT operations department wants to apply the same policies as they have for on-premises VMs to the VMs running in Azure, including domain administrator permissions and schema extensions. You need to recommend a solution for the hybrid scenario that minimizes the amount of maintenance required.

What should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Component	Action
Domain	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right;">▼</div>                     Join the VMs to the existing on-premises domain.                      Join the VMs to a new domain controller VM in Azure. <a href="#">↪</a>                      Join the VMs to Azure Active Directory Domain Services (AD DS).                 </div>
Connectivity	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right;">▼</div>                     Set up VPN connectivity. <a href="#">↪</a>                      Set up HTTPS connectivity.                      Set up Azure Relay Service.                 </div>

Answer:

**Answer Area**

Component	Action
Domain	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right;">▼</div>                     Join the VMs to the existing on-premises domain.                      Join the VMs to a new domain controller VM in Azure. <span style="background-color: #e0ffe0;">↪</span>                      Join the VMs to Azure Active Directory Domain Services (AD DS).                 </div>
Connectivity	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right;">▼</div>                     Set up VPN connectivity. <span style="background-color: #e0ffe0;">↪</span>                      Set up HTTPS connectivity.                      Set up Azure Relay Service.                 </div>

**Explanation:**

Box 1: Join the VMs to a new domain controller VM in Azure Azure provides two solutions for implementing directory and identity services in Azure:

(Used in this scenario) Extend your existing on-premises Active Directory infrastructure to Azure, by deploying a VM in Azure that runs AD DS as a Domain Controller. This architecture is more common when the on-premises network and the Azure virtual network (VNet) are connected by a VPN or ExpressRoute connection.

Use Azure AD to create an Active Directory domain in the cloud and connect it to your on-premises Active Directory domain. Azure AD Connect integrates your on-premises directories with Azure AD.

Box 2: Set up VPN connectivity.

This architecture is more common when the on-premises network and the Azure virtual network (VNet) are connected by a VPN or ExpressRoute connection.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/identity/>

**QUESTION 79**

You have an Azure subscription that contains the Azure virtual machines shown in the following table.

Name	Operating system	Location
VM1	Windows Server 2012 R2	East US
VM2	Windows Server 2016	East US
VM3	Windows Server 2019	West US
VM4	Ubuntu Server 18.04	East US

You create an Azure key vault named Vault1 in the East US location.

You need to identify which virtual machines can enable Azure Disk Encryption by using Vault1. Which virtual machines should you identify?

- A. VM2 and VM3 only
- B. VM1, VM2, and VM4 only
- C. VM1, VM2, and VM3 only
- D. VM3 only

**Answer: B**

**Explanation:**

Your key vault and VMs must reside in the same Azure region and subscription.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/disk-encryption-overview>

### QUESTION 80

A company is migrating an existing on-premises third-party website to Azure. The website is stateless.

The company does not have access to the source code for the website. They have the original installer.

The number of visitors at the website varies throughout the year. The on-premises infrastructure was resized to accommodate peaks but the extra capacity was not used.

You need to implement a virtual machine scale set instance.

What should you do

- A. Use a webhook to log autoscale failures.
- B. Use an autoscale setting to scale instances vertically.
- C. Use only default diagnostics metrics to trigger autoscaling
- D. Use an autoscale setting to define more profiles that have one or more autoscale rules.



**Answer: C**

**Explanation:**

In-guest VM metrics with the Azure diagnostics extension The Azure diagnostics extension is an agent that runs inside a VM instance. The agent monitors and saves performance metrics to Azure storage. These performance metrics contain more detailed information about the status of the VM, such as AverageReadTime for disks or PercentIdleTime for CPU. You can create autoscale rules based on a more detailed awareness of the VM performance, not just the percentage of CPU usage or memory consumption.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machine-scale-sets/virtual-machine-scale-sets-autoscale-overview>

### QUESTION 81

**Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.**

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You have an Azure Cosmos DB database that contains a container named Container1. The partition key for Container1 is set to /day. Container1 contains the items shown in the following table.

Name	Content
Item1	<pre>{   "id": "1",   "day": "Mon",   "value" : "10" }</pre>
Item2	<pre>{   "id": "2",   "day": "Mon",   "value" : "15" }</pre>
Item3	<pre>{   "id": "3",   "day": "True",   "value" : "10" }</pre>
Item4	<pre>{   "id": "4",   "day": "Wed",   "value" : "15" }</pre>

You need to programmatically query Azure Cosmos DB and retrieve item1 and item2 only.

Solution: You run the following query.

```
SELECT day  
WHERE value = "10"
```

You set the EnableCrossPartitionQuery property to False.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

#### QUESTION 82

**Note:** This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Cosmos DB database that contains a container named Container1. The partition key for Container1 is set to /day. Container1 contains the items shown in the following table.

Name	Content
Item1	<pre>{   "id": "1",   "day": "Mon",   "value" : "10" }</pre>
Item2	<pre>{   "id": "2",   "day": "Mon",   "value" : "15" }</pre>
Item3	<pre>{   "id": "3",   "day": "True",   "value" : "10" }</pre>
Item4	<pre>{   "id": "4",   "day": "Wed",   "value" : "15" }</pre>

You need to programmatically query Azure Cosmos DB and retrieve item1 and item2 only.

Solution: You run the following query.

```
SELECT day FROM c  
  WHERE c.value = "10" OR c.value = "15"
```

You set the EnableCrossPartitionQuery property to True.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

### QUESTION 83

**Note:** This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You have an Azure Cosmos DB database that contains a container named Container1. The partition key for Container1 is set to /day. Container1 contains the items shown in the following table.

Name	Content
Item1	<pre>{   "id": "1",   "day": "Mon",   "value" : "10" }</pre>
Item2	<pre>{   "id": "2",   "day": "Mon",   "value" : "15" }</pre>
Item3	<pre>{   "id": "3",   "day": "True",   "value" : "10" }</pre>
Item4	<pre>{   "id": "4",   "day": "Wed",   "value" : "15" }</pre>

You need to programmatically query Azure Cosmos DB and retrieve item1 and item2 only.

Solution: You run the following query.

```
SELECT id FROM c  
  WHERE c.day = "Mon"
```

You set the EnableCrossPartitionQuery property to True.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

#### QUESTION 84

Your company is developing an e-commerce Azure App Service Web App to support hundreds of restaurant locations around the world.

You are designing the messaging solution architecture to support the e-commerce transactions and messages. The e-commerce application has the following features and requirements:

Feature	Requirement
Shopping Cart	<ul style="list-style-type: none"> <li>Items in a shopping cart must be processed by an Azure Function within a specified number of minutes. Failure to process should move the items to a failed state for processing by a separate Azure Function</li> <li>Shopping cart transactions must not be lost and fault conditions must be processed separately</li> <li>Shopping cart transactions must be read by the inventory and sales systems for further processing</li> </ul>
Inventory Distribution	<ul style="list-style-type: none"> <li>Items sent to the inventory system must run a separate workflow for each item that includes warehouse, shipping, and order processing updates</li> <li>Inventory uses Azure Blob storage to store inventory items and related information</li> <li>Inventory is processed by using an Azure Logic App</li> </ul>
Restaurant Telemetry	<ul style="list-style-type: none"> <li>Restaurants stream millions of daily events from all locations</li> <li>Restaurant data should be captured in Azure Blob storage for conditional processing</li> <li>Restaurant event data should expire after 24 hours</li> </ul>

You need to choose the Azure messaging solution to support the Shopping Cart feature. Which Azure service should you use?

- A. Azure Service Bus
- B. Azure Relay
- C. Azure Event Grid
- D. Azure Event Hub

**Answer: A**

**Explanation:**

Microsoft Azure Service Bus is a fully managed enterprise integration message broker. Service Bus is most commonly used to decouple applications and services from each other, and is a reliable and secure platform for asynchronous data and state transfer.

One common messaging scenario is Messaging: transfer business data, such as sales or purchase orders, journals, or inventory movements.

Incorrect Answers:

B: The Azure Relay service enables you to securely expose services that run in your corporate network to the public cloud.

References:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-messaging-overview>

**QUESTION 85**

Your company is developing an e-commerce Azure App Service Web App to support hundreds of restaurant locations around the world.

You are designing the messaging solution architecture to support the e-commerce transactions and messages. The e-commerce application has the following features and requirements:

Feature	Requirement
Shopping Cart	<ul style="list-style-type: none"><li>• Items in a shopping cart must be processed by an Azure Function within a specified number of minutes. Failure to process should move the items to a failed state for processing by a separate Azure Function</li><li>• Shopping cart transactions must not be lost and fault conditions must be processed separately</li><li>• Shopping cart transactions must be read by the inventory and sales systems for further processing</li></ul>
Inventory Distribution	<ul style="list-style-type: none"><li>• Items sent to the inventory system must run a separate workflow for each item that includes warehouse, shipping, and order processing updates</li><li>• Inventory uses Azure Blob storage to store inventory items and related information</li><li>• Inventory is processed by using an Azure Logic App</li></ul>
Restaurant Telemetry	<ul style="list-style-type: none"><li>• Restaurants stream millions of daily events from all locations</li><li>• Restaurant data should be captured in Azure Blob storage for conditional processing</li><li>• Restaurant event data should expire after 24 hours</li></ul>

You need to choose the Azure messaging solution to support the Restaurant Telemetry feature. Which Azure service should you use?

- A. Azure Relay
- B. Azure Event Grid
- C. Azure Event Hub
- D. Azure Service Bus

**Answer:** C

**Explanation:**

Azure Event Hubs is a big data pipeline. It facilitates the capture, retention, and replay of telemetry and event stream data. The data can come from many concurrent sources. Event Hubs allows telemetry and event data to be made available to a variety of stream-processing infrastructures and analytics services. It is available either as data streams or bundled event batches. This service provides a single solution that enables rapid data retrieval for real-time processing as well as repeated replay of stored raw data. It can capture the streaming data into a file for processing and analysis.

It has the following characteristics:

low latency

capable of receiving and processing millions of events per second

at least once delivery

Note: Comparison of services

Service	Purpose	Type	When to use
Event Grid	Reactive programming	Event distribution (discrete)	React to status changes
Event Hubs	Big data pipeline	Event streaming (series)	Telemetry and distributed data streaming
Service Bus	High-value enterprise messaging	Message	Order processing and financial transactions

References:

<https://docs.microsoft.com/en-us/azure/event-grid/compare-messaging-services>

**QUESTION 86**

Hotspot Question

You have an Azure subscription.

You plan to deploy two Azure web apps that have the requirements shown in the following table.

Name	Requirement
App1	<ul style="list-style-type: none"> <li>• Accessible by using a URL of <code>https://app1.contoso.com</code></li> <li>• Scalable to two instances during busy periods</li> <li>• Supports two deployment slots</li> </ul>
App2	<ul style="list-style-type: none"> <li>• Accessible by using a URL of <code>https://app2.contoso.com</code></li> <li>• Scalable to 15 instances during busy periods</li> <li>• Supports three deployment slots</li> </ul>

You need to select the App Service plans for the web apps. The solution must minimize costs. Which App Service plan should you select for each web app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

## Answer Area

App1: 

	▼
B1 Basic	
D1 Shared	
P1v2 PremiumV2	
S1 Standard -	

App2: 

	▼
B1 Basic	
D1 Shared	
P1v2 PremiumV2 -	
S1 Standard	

Answer:

## Answer Area

App1: 

	▼
B1 Basic	
D1 Shared	
P1v2 PremiumV2	
S1 Standard	

App2: 

	▼
B1 Basic	
D1 Shared	
P1v2 PremiumV2	
S1 Standard	

Explanation:

	FREE	SHARED	BASIC	STANDARD	PREMIUM	ISOLATED *	APP SERVICE LINUX	CONSUMPTION PLAN (FUNCTIONS)
<b>– Limits **</b>								
Apps	10	100	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	500
Disk space	1 GB	1 GB	10 GB	50 GB	250 GB	1 TB		
Max instances			Up to 3	Up to 10	Up to 20	Up to 100		
SLA			99.95%	99.95%	99.95%	99.95%		
Functions on App Service Plans *			✓	✓	✓	✓		
<b>– App Deployment</b>								
Continuous Deployment *	✓	✓	✓	✓	✓	✓ <sup>3</sup>	✓	✓
Deployment Slots				✓	✓	✓	✓	

Reference:

<https://azure.microsoft.com/en-us/pricing/details/app-service/plans/>

**QUESTION 87**

Hotspot Question

You have an Azure subscription that contains the storage account shown in the following table.

Name	Kind	Performance tier	Replication	Location
storage1	StorageV2	Premium	Locally-redundant storage (LRS)	East US
storage2	Storage	Standard	Geo-redundant storage (GRS)	UK West
storage3	BlobStorage	Standard	Locally-redundant storage (LRS)	North Europe

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
storage1 can host Azure file shares.	<input type="radio"/>	<input checked="" type="radio"/>
There are six copies of the data in storage2.	<input checked="" type="radio"/>	<input type="radio"/>
storage3 can be converted to a GRS account.	<input checked="" type="radio"/>	<input type="radio"/>

Answer:

## Answer Area

Statements	Yes	No
storage1 can host Azure file shares.	<input type="radio"/>	<input checked="" type="radio"/>
There are six copies of the data in storage2.	<input checked="" type="radio"/>	<input type="radio"/>
storage3 can be converted to a GRS account.	<input checked="" type="radio"/>	<input type="radio"/>

### Explanation:

Box 1: No

Azure Files supports two storage tiers: premium and standard. Standard file shares are created in general purpose (GPv1 or GPv2) storage accounts and premium file shares are created in FileStorage storage accounts.

You cannot create Azure file shares from Blob storage accounts or premium general purpose (GPv1 or GPv2) storage accounts. Standard Azure file shares must be created in standard general purpose accounts only and premium Azure file shares must be created in FileStorage storage accounts only. Premium general purpose (GPv1 and GPv2) storage accounts are for premium page blobs only.

Box 2: Yes

Geo-redundant storage (GRS) brings additional redundancy to the data storage over both LRS or ZRS. Along with the three copies of your data stored within a single region, a further three copies are stored in the twinned Azure region. So using GRS means you get all the features of the LRS storage within your primary zone, but you also get a second LRS data storage in a neighbouring Azure region. This data is updated asynchronously, so there is a small lag between the 2 data sets, but for most cases this is acceptable.

Box 3: Yes

Blob Storage Standard can be used both LRS and GRS.

References:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-faq>

<https://www.skylinesacademy.com/blog/2019/7/31/azure-storage-replication>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-introduction>

### QUESTION 88

Hotspot Question

You create and save an Azure Resource Manager template named Template1 that includes the following four sections.

Section1.

```
{
  "$schema": "https://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json#",
  "contentVersion": "1.0.0.0",
  "parameters" "{
    "windowsOSVersion": {
      "defaultValue": "2019-Datacenter",
      "allowedValues": [
        "2012-Datacenter",
        "2012-R2-Datacenter",
        "2016-Datacenter",
        "2019-Datacenter"
      ],
    },
  },
}
```

Section2.

```
"variables": {
  "windowsOSVersion": "2012-Datacenter",
```

Section3.

```
},
"resources": [
  {
    "type": "Microsoft.Compute/virtualMachines",
```

Section4.

```
"storageProfile": {
  "imageReference": {
    "publisher": "MicrosoftWindowsServer",
    "offer": "WindowsServer",
    "sku": "2012-R2-Datacenter",
    "version": "latest"
  },
```

You deploy Template1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
Windows Server 2012 R2 Datacenter will be deployed to the Azure virtual machine.	<input checked="" type="radio"/>	<input type="radio"/>
A custom image of Windows Server will be deployed.	<input type="radio"/>	<input checked="" type="radio"/>
During the deployment of Template1, an administrator will be prompted to select a version of Windows Server.	<input type="radio"/>	<input checked="" type="radio"/>

Answer:

**Answer Area**

Statements	Yes	No
Windows Server 2012 R2 Datacenter will be deployed to the Azure virtual machine.	<input checked="" type="radio"/>	<input type="radio"/>
A custom image of Windows Server will be deployed.	<input type="radio"/>	<input checked="" type="radio"/>
During the deployment of Template1, an administrator will be prompted to select a version of Windows Server.	<input type="radio"/>	<input checked="" type="radio"/>

**QUESTION 89**

Hotspot Question

You have an Azure subscription that contains the resource groups shown in the following table.

Name	Region
RG1	East US
RG2	West US

RG1 contains the virtual machines shown in the following table.

Name	Region
VM1	West US
VM2	West US
VM3	West US
VM4	West US

RG2 contains the virtual machines shown in the following table.

Name	Region
VM5	East US 2
VM6	East US 2
VM7	West US
VM8	West US 2

All the virtual machines are configured to use premium disks and are accessible from the Internet. VM1 and VM2 are in an available set named AVSET1. VM3 and VM4 are in the same availability zone and are in an availability set named AVSET2. VM5 and VM6 are in different availability zones. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
VM1 is eligible for a Service Level Agreement (SLA) of 99,95 percent.	<input checked="" type="radio"/>	<input type="radio"/>
VM3 is eligible for a Service Level Agreement (SLA) of 99,99 percent.	<input type="radio"/>	<input checked="" type="radio"/>
VM5 is eligible for a Service Level Agreement (SLA) of 99,99 percent.	<input checked="" type="radio"/>	<input type="radio"/>

Answer:

**Answer Area**

Statements	Yes	No
VM1 is eligible for a Service Level Agreement (SLA) of 99,95 percent.	<input type="radio"/>	<input type="radio"/>
VM3 is eligible for a Service Level Agreement (SLA) of 99,99 percent.	<input type="radio"/>	<input checked="" type="radio"/>
VM5 is eligible for a Service Level Agreement (SLA) of 99,99 percent.	<input checked="" type="radio"/>	<input type="radio"/>

**Explanation:**

Box 1: Yes

VM1 and VM2 are in an available set named AVSET1.

For all Virtual Machines that have two or more instances deployed in the same Availability Set, we [Microsoft] guarantee you will have Virtual Machine Connectivity to at least one instance at least 99.95% of the time.

Box 2: No

VM3 and VM4 are in the same availability zone and are in an availability set named AVSET2.

Box 3: Yes

VM5 and VM6 are in different availability zones.

For all Virtual Machines that have two or more instances deployed across two or more Availability Zones in the same Azure region, we [Microsoft] guarantee you will have Virtual Machine Connectivity to at least one instance at least 99.99% of the time.

References:

[AZ-303 Exam Dumps](#) [AZ-303 Exam Questions](#) [AZ-303 PDF Dumps](#) [AZ-303 VCE Dumps](#)

<https://www.passleader.com/az-303.html>

[https://azure.microsoft.com/en-us/support/legal/sla/virtual-machines/v1\\_8/](https://azure.microsoft.com/en-us/support/legal/sla/virtual-machines/v1_8/)

**QUESTION 90**

Drag and Drop Question

You have an Azure virtual machine named VM1 that runs Windows Server 2016.

You install a line-to-business application on VM1.

You need to create an Azure virtual machine by using VM1 as a custom image.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run <code>sysprep.exe</code> on VM1.	
Install Network Load Balancing (NLB) on VM1.	
From Azure CLI, deallocate VM1 and mark VM1 as <code>generalized</code> .	⬅️ ➡️
From Azure CLI, apply a custom script extension.	⬆️ ⬇️
Create a virtual machines scale set.	

**Answer:**

Actions	Answer Area
	Run <code>sysprep.exe</code> on VM1.
Install Network Load Balancing (NLB) on VM1.	From Azure CLI, deallocate VM1 and mark VM1 as <code>generalized</code> .
	⬅️ ➡️
From Azure CLI, apply a custom script extension.	Create a virtual machines scale set. ?
	⬆️ ⬇️

**Explanation:**

Step 1: Run `sysprep.exe` on VM1.

If a template, or system image is used, System administrators must run the Sysprep tool to clear the SID information. The Sysprep tool is usually one of the last tasks performed by a system administrator when building a server image/template, that way each clone of the template will generalize a new unique SID for every server image copied from the template and will prepare the server for a first time boot.

The end result is a System template that functions as a new unique build every time it is deployed. Step 2: From Azure CLI, deallocate VM1 and mark VM1 as `generalized` To create an image, the VM needs to be deallocated. Deallocate the VM with `Stop-AzVm`. Then, set the state of the VM as `generalized` with `Set-AzVm` so that the Azure platform knows the VM is ready for use a custom image

Step 3: Create a virtual machine scale set

Now create a scale set with `New-AzVmss` that uses the `-ImageName` parameter to define the custom VM image created in the previous step.

References:

<https://thesolving.com/server-room/when-and-how-to-use-sysprep/>

<https://docs.microsoft.com/en-us/azure/virtual-machine-scale-sets/tutorial-use-custom-image-powershell>

### QUESTION 91

Hotspot Question

You play to deploy an Azure virtual machine named VM1 by using an Azure Resource Manager template.

You need to complete the template.

What should you include in the template? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

#### Answer Area

```
{
  "type": "Microsoft.Compute/virtualMachines",
  "apiVersion": "2018-10-01",
  "name": "VM1",
  "location": "[parameters('location')]",
  "dependsOn": [
    "[resourceId('Microsoft.Storage/storageAccounts/', variables('Name3'))]",
    "[resourceId(
      Microsoft.Network/publicIPAddresses/
      Microsoft.Network/virtualNetworks/
      Microsoft.Network/networkInterfaces/
      Microsoft.Network/virtualNetworks/subnets'
      Microsoft.Storage/storageAccounts/'
      variables('Name4'))]"
  ],
},
{
  "type": "Microsoft.Network/networkInterfaces",
  "apiVersion": "2018-11-01",
  "name": "NIC1",
  "location": "[parameters('location')]",
  "dependsOn": [
    "[resourceId('Microsoft.Network/publicIPAddresses/', variables('Name1'))]",
    "[resourceId(
      Microsoft.Network/publicIPAddresses/
      Microsoft.Network/virtualNetworks/
      Microsoft.Network/networkInterfaces/
      Microsoft.Network/virtualNetworks/subnets'
      Microsoft.Storage/storageAccounts/'
      variables('Name2'))]"
  ],
},
```

Answer:

**Answer Area**

```
{
  "type": "Microsoft.Compute/virtualMachines",
  "apiVersion": "2018-10-01",
  "name": "VM1",
  "location": "[parameters('location')]",
  "dependsOn": [
    "[resourceId('Microsoft.Storage/storageAccounts/', variables('Name3'))]",
    "[resourceId(
      Microsoft.Network/publicIPAddresses/
      Microsoft.Network/virtualNetworks/
      Microsoft.Network/networkInterfaces/
      Microsoft.Network/virtualNetworks/subnets'
      Microsoft.Storage/storageAccounts/'
      variables('Name4'))]"
  ],
},
{
  "type": "Microsoft.Network/networkInterfaces",
  "apiVersion": "2018-11-01",
  "name": "NIC1",
  "location": "[parameters('location')]",
  "dependsOn": [
    "[resourceId('Microsoft.Network/publicIPAddresses/', variables('Name1'))]",
    "[resourceId(
      Microsoft.Network/publicIPAddresses/
      Microsoft.Network/virtualNetworks/
      Microsoft.Network/networkInterfaces/
      Microsoft.Network/virtualNetworks/subnets'
      Microsoft.Storage/storageAccounts/'
      variables('Name2'))]"
  ],
},
```

**Explanation:**

Within your template, the dependsOn element enables you to define one resource as a dependent on one or more resources. Its value can be a comma-separated list of resource names.

Box 1: 'Microsoft.Network/networkInterfaces'

This resource is a virtual machine. It depends on two other resources:

Microsoft.Storage/storageAccounts

Microsoft.Network/networkInterfaces

Box 2: 'Microsoft.Network/virtualNetworks/'

The dependsOn element enables you to define one resource as a dependent on one or more resources.

The resource depends on two other resources:

Microsoft.Network/publicIPAddresses

Microsoft.Network/virtualNetworks

```
"resources": [  
  { ...  
  },  
  { ...  
  },  
  { ...  
  },  
  {  
    "type": "Microsoft.Network/networkInterfaces",  
    "name": "[variables('nicName')]",  
    "location": "[parameters('location')]",  
    "apiVersion": "2018-08-01",  
    "dependsOn": [  
      "[resourceId('Microsoft.Network/publicIPAddresses/', variables('publicIPAddressName'))]",  
      "[resourceId('Microsoft.Network/virtualNetworks/', variables('virtualNetworkName'))]"  
    ],  
    "properties": {  
      "ipConfigurations": [  
        {  
          "name": "ipconfig1",  
          "properties": {  
            "privateIPAllocationMethod": "Dynamic",  
            "publicIPAddress": {  
              "id": "[resourceId('Microsoft.Network/publicIPAddresses', variables('publicIPAddressName'))]"  
            },  
            "subnet": {  
              "id": "[variables('subnetRef')]"  
            }  
          }  
        }  
      ]  
    }  
  }  
],  
},
```

References:


<https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-manager-tutorial-create-templates-with-dependent-resources>

**QUESTION 92**

Hotspot Question

You plan to create a virtual machine as shown in the following exhibit.

## Summary

 Validation passed

### Basics

Subscription	Microsoft Azure Sponsorship
Resource group	confcompute
Location	East US

Image	Windows Server 2016 Datacenter
Name	vm1
Username	labadmin
Password	*****

### Virtual Machine Settings

Virtual machine size	Standard_DC2s
OS disk type	Premium SSD
Virtual network	vnet1
Subnet	subnet1
Subnet address prefix	10.0.0.0/24
Select public inbound ports	None
Boot diagnostics	Enabled
Diagnostic storage account	wmconf1a6f712e904

**OK**

[Download template and parameters](#)

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

**Answer Area**

The performance of the operating system disk [answer choice].

will decrease over time
will increase over time
is guaranteed to remain the same

Vm1 will use [answer choice] for data protection.

dm-crypt
secure enclaves
secure shell (SSH)

**Answer:**

**Answer Area**

The performance of the operating system disk [answer choice].

will decrease over time
will increase over time
is guaranteed to remain the same

Vm1 will use [answer choice] for data protection.

dm-crypt
secure enclaves
secure shell (SSH)

**Explanation:**

Box 1: is guaranteed to remain the same

OS disk type: Premium SSD

Premium SSD Managed Disks are high performance Solid State Drive (SSD) based Storage designed to support I/O intensive workloads with significantly high throughput and low latency. With Premium SSD Managed Disks, you can provision a persistent disk and configure its size and performance characteristics.

Box 2: secure enclaves

Virtual machine size: Standard\_DC2s

DC-series virtual machines are a new family of VMs to protect the confidentiality and integrity of your data and code while it's processed in Azure through the use of secure enclaves.

Incorrect:

Not dm-crypt: Azure Disk Encryption helps protect and safeguard your data to meet your organizational security and compliance commitments. It uses the BitLocker feature of Windows and the DM-Crypt feature of Linux to provide volume encryption for the OS and data disks of Azure virtual machines (VMs).

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/disks-types>

<https://azure.microsoft.com/en-us/pricing/details/virtual-machines/series/>

**QUESTION 93**

[AZ-303 Exam Dumps](#) [AZ-303 Exam Questions](#) [AZ-303 PDF Dumps](#) [AZ-303 VCE Dumps](#)

<https://www.passleader.com/az-303.html>

Hotspot Question

You have an Azure Resource Manager template for a virtual machine named Template1. Template1 has the following parameters section.

```
"parameters": {
  "adminUsername": {
    "type": "string"
  },
  "adminPassword": {
    "type": "securestring"
  },
  "dnsLabelPrefix": {
    "type": "string"
  },
  "windowsOSVersion": {
    "type": "string",
    "defaultValue": "2016-Datacenter",
    "allowedValues": [
      "2016-Datacenter",
      "2019-Datacenter"
    ]
  },
  "location": {
    "type": "String",
    "allowedValues": [
      "eastus",
      "centralus",
      "westus" ]
  }
},
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
When you deploy Template1, you are prompted for a resource group.	<input checked="" type="radio"/>	<input type="radio"/>
When you deploy Template1, you are prompted for the Windows operating system version.	<input checked="" type="radio"/>	<input type="radio"/>
When you deploy Template1, you are prompted for a location.	<input checked="" type="radio"/>	<input type="radio"/>

Answer:

**Answer Area**

Statements	Yes	No
When you deploy Template1, you are prompted for a resource group.	<input checked="" type="radio"/>	<input type="radio"/>
When you deploy Template1, you are prompted for the Windows operating system version.	<input type="radio"/>	<input checked="" type="radio"/>
When you deploy Template1, you are prompted for a location.	<input checked="" type="radio"/>	<input type="radio"/>

**Explanation:**

Box 1: Yes

The Resource group is not specified.

Box 2: No

The default value for the operating system is Windows 2016 Datacenter.

Box 3: Yes

Location is no default value.


References:

<https://docs.microsoft.com/bs-latn-ba/azure/virtual-machines/windows/ps-template>

**QUESTION 94**

Hotspot Question

You network contains an Active Directory domain that is synced to Azure Active Directory (Azure AD) as shown in the following exhibit.



You have a user account configured as shown in the following exhibit. For each of the following

statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
From the Azure portal, an administrator can reset the password of Adam Hobbs.	<input type="radio"/>	<input checked="" type="radio"/>
From the Azure portal, an administrator can modify the job title for the user account of Adam Hobbs.	<input type="radio"/>	<input checked="" type="radio"/>
From the Azure portal, an administrator can modify the usage location for the user account of Adam Hobbs.	<input checked="" type="radio"/>	<input type="radio"/>

?

**Answer:**

**Answer Area**

Statements	Yes	No
From the Azure portal, an administrator can reset the password of Adam Hobbs.	<input type="radio"/>	<input checked="" type="radio"/>
From the Azure portal, an administrator can modify the job title for the user account of Adam Hobbs.	<input type="radio"/>	<input checked="" type="radio"/>
From the Azure portal, an administrator can modify the usage location for the user account of Adam Hobbs.	<input checked="" type="radio"/>	<input type="radio"/>

**Explanation:**

Box 1: No

Password writeback is disabled.

Note: Having a cloud-based password reset utility is great but most companies still have an on-premises directory where their users exist. How does Microsoft support keeping traditional on-premises Active Directory (AD) in sync with password changes in the cloud? Password writeback is a feature enabled with Azure AD Connect that allows password changes in the cloud to be written back to an existing on-premises directory in real time.

Box 2: No

Box 3: Yes

Yes, there is an Edit link for Location Info.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-writeback>

**QUESTION 95**

Hotspot Question

You have an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2

The tenant contains computers that run Windows 10. The computers are configured as shown in the following table.

Name	Member of
Computer1	GroupA
Computer2	GroupA
Computer3	GroupB

You enable Enterprise State Roaming in contoso.com for Group1 and GroupA.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
If User1 modifies the desktop background of Computer1, User1 will see the changed background when signing in to Computer3.	<input checked="" type="radio"/>	<input type="radio"/>
If User2 modifies the desktop background of Computer1, User2 will see the changed background when signing in to Computer2.	<input type="radio"/>	<input checked="" type="radio"/>
If User1 modifies the desktop background of Computer3, User1 will see the changed background when signing in to Computer2.	<input checked="" type="radio"/>	<input type="radio"/>

Answer:

**Answer Area**

Statements	Yes	No
If User1 modifies the desktop background of Computer1, User1 will see the changed background when signing in to Computer3.	<input checked="" type="radio"/>	<input type="radio"/>
If User2 modifies the desktop background of Computer1, User2 will see the changed background when signing in to Computer2.	<input type="radio"/>	<input checked="" type="radio"/>
If User1 modifies the desktop background of Computer3, User1 will see the changed background when signing in to Computer2.	<input checked="" type="radio"/>	<input type="radio"/>

**Explanation:**

Enterprise State Roaming provides users with a unified experience across their Windows devices and reduces the time needed for configuring a new device.

Box 1: Yes

Box 2: No

Box 3: Yes

References:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/enterprise-state-roaming->

overview

**QUESTION 96**

Drag and Drop Question

You have virtual machines (VMs) that run a mission-critical application.

You need to ensure that the VMs never experience down time.

What should you recommend? To answer, drag the appropriate solutions to the correct scenarios. Each solution may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Solutions	Answer Area
Fault Domain	
Update Domain	
Availability Set	
Scale Sets	

Scenario	Solution
Maintain application performance across identical VMs.	Solution
Maintain application availability when an Azure datacenter fails.	Solution
Maintain application performance across different VMs.	Solution

**Answer:**

Solutions	Answer Area
Update Domain	

Scenario	Solution
Maintain application performance across identical VMs.	Scale Sets <i>OK</i>
Maintain application availability when an Azure datacenter fails.	Availability Set
Maintain application performance across different VMs.	Fault Domain

**Explanation:**

Box 1: Scale set

A virtual machine scale set allows you to deploy and manage a set of identical, autoscaling virtual machines.

Box 2: Availability Set

An Availability Set is a logical grouping capability for isolating VM resources from each other when they're deployed. Azure makes sure that the VMs you place within an Availability Set run across multiple physical servers, compute racks, storage units, and network switches. If a hardware or software failure happens, only a subset of your VMs are impacted and your overall solution stays operational. Availability Sets are essential for building reliable cloud solutions.

Box 3: Fault domain

A fault domain is a logical group of underlying hardware that share a common power source and network switch, similar to a rack within an on-premises datacenter. As you create VMs within an availability set, the Azure platform automatically distributes your VMs across these fault domains. This approach limits the impact of potential physical hardware failures, network outages, or power interruptions.

Incorrect Answers:

An update domain is a group of VMs and underlying physical hardware that can be rebooted at the same time.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/tutorial-create-vmss>

[AZ-303 Exam Dumps](#) [AZ-303 Exam Questions](#) [AZ-303 PDF Dumps](#) [AZ-303 VCE Dumps](#)

<https://www.passleader.com/az-303.html>

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/tutorial-availability-sets>

**QUESTION 97**

Hotspot Question

You have an Azure web app named App1 that has the following configurations:

- The app runs on three instances.
- The minimum number of instances is one.
- The maximum number of instances is five.

You create the following autoscale rules for App1:

- Decrease the instance count by one when the CPU percentage is less than 30.
- Decrease the instance count by one when the memory percentage is less than 50.
- Increase the instance count by one when the CPU percentage is greater than 80.
- Increase the instance count by one when the memory percentage is greater than 75.

You expect App1 to be utilized as shown in the following table.

Day	Hours	CPU	Memory
Monday to Friday	08:00 to 23:59	85%	40%
Monday to Friday	00:00 to 07:59	25%	60%
Saturday to Sunday	00:00 to 23:59	30%	55%

You need to identify the maximum number of instances that will be used by App1 during the expected periods of utilization.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

## Answer Area

Monday to Friday 00:00–07:59:  ▼

1
2
3 -
4
5

Monday to Friday 08:00–23:59:  ▼

1
2
3
4
5 -

Saturday to Sunday 00:00-23:59:  ▼

1
2
3 -
4
5

Answer:

## Answer Area

Monday to Friday 00:00–07:59:  ▼

1
2
3
4
5

Monday to Friday 08:00–23:59:  ▼

1
2
3
4
5

Saturday to Sunday 00:00-23:59:  ▼

1
2
3
4
5

**Explanation:**

On scale out, autoscale runs if any rule is met. On scale-in, autoscale requires all rules to be met. Therefore, the web app will scale out but will never scale back in because there is no time where the CPU is less than 30% AND the memory is less than 50%.

**QUESTION 98**

Hotspot Question

From Azure Cosmos DB, you create the containers shown in the following table.

Container ID	Partition key	Unique key
Container1	/category	None
Container2	/id	/importance

You add the following item to Container1.

```
{
  "id": "1",
  "category": "personal",
  "name": "Name1",
  "description": "Description1"
}
```

You plan to add items to Azure Cosmos DB as shown in the following table.

Name	Content
Item1	<pre>{   "id": "1",   "category": "personal",   "name": "Name1",   "description": "Description1" }</pre>
Item2	<pre>{   "category": "business",   "name": "Name2",   "description": "Description2"   "importance": "High" }</pre>
Item3	<pre>{   "id": "3",   "name": "Name3",   "description": "Description3" }</pre>
Item4	<pre>{   "id": "4",   "importance": "Low" }</pre>

You need to identify which items can be added successfully to Container1 and Container2. What should you identify for each container? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

## Answer Area

Container1:

	▼
Item2 only	
Item1 and Item2 only	
Item3 and Item4 only	
Item2, Item3, and Item4 only ✓	
Item1, Item2, Item3, and Item4	

Container2:

	▼
Item4 only	
Item2 and Item4 only	
Item1, Item3, and Item4 only ✓	
Item1, Item2, Item3, and Item4	

Answer:

## Answer Area

Container1:

	▼
Item2 only	
Item1 and Item2 only	
Item3 and Item4 only	
Item2, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	

Container2:

	▼
Item4 only	
Item2 and Item4 only	
Item1, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	

### QUESTION 99

Your company has an office in Seattle.

You have an Azure subscription that contains a virtual network named VNET1. You create a site-to-site VPN between the Seattle office and VNET1.

VNET1 contains the subnets shown in the following table.

Name	IP address space
Subnet1	10.1.1.0/24
GatewaySubnet	10.1.200.0/28

You need to redirect all Internet-bound traffic from Subnet1 to the Seattle office. What should you create?

- A. a route for GatewaySubnet that uses the virtual network gateway as the next hop
- B. a route for GatewaySubnet that uses the local network gateway as the next hop
- C. a route for Subnet1 that uses the local network gateway as the next hop
- D. a route for Subnet1 that uses the virtual network gateway as the next hop

**Answer:** D

**Explanation:**

A route with the 0.0.0.0/0 address prefix instructs Azure how to route traffic destined for an IP address that is not within the address prefix of any other route in a subnet's route table. When a subnet is created, Azure creates a default route to the 0.0.0.0/0 address prefix, with the Internet next hop type. We need to create a custom route in Azure to use a virtual network gateway in the Seattle office as the next hop.

References:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

### QUESTION 100

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Address space
VNET1	Virtual network	10.1.1.0/24
Subnet1	Subnet	10.1.1.0/24
VM1	Virtual machine	<i>Not applicable</i>

Subnet1 is on VNET1. VM1 connects to Subnet1.

You plan to create a virtual network gateway on VNET1.

You need to prepare the environment for the planned virtual network gateway.

What are two ways to achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Modify the address space used by VNET1.
- B. Modify the address space used by Subnet1.
- C. Create a subnet named GatewaySubnet on VNET1.
- D. Create a local network gateway.
- E. Delete Subnet1.

Answer: AE

### QUESTION 108

**Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.**

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles.

You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You create an access package.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You do not use access packages for Identity Governance. Instead use Azure AD Privileged Identity

Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

Conduct access reviews to ensure users still need roles

References:  
<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

<https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-overview>

#### QUESTION 109

**Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.**

**After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.**

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles.

You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You assign the Service administrator role to Admin1.

Does this meet the goal?

A. Yes

B. No

**Answer: B**

**Explanation:**

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

Conduct access reviews to ensure users still need roles

References:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

#### QUESTION 110

Drag and Drop Question

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Region	Resource group
RG1	Resource group	Central US	<i>Not applicable</i>
RG2	Resource group	West US	<i>Not applicable</i>
VM1	Virtual machine	East US	RG2
VNET1	Virtual network	East US	RG1

In RG2, you need to create a new virtual machine named VM2 that will connect to VNET1. VM2 will use a network interface named VM2\_Interface.

In which region should you create VM2 and VM2\_Interface? To answer, drag the appropriate regions to the correct targets. Each region may be used once, more than once, or not at all. You

may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Regions**

Central US

East US

West US

**Answer Area**

VM2:

E.Us

VM2\_Interface:

E. US

?

**Answer:**

**Regions**

Central US

**Answer Area**

VM2:

West US

VM2\_Interface:

East US

**Explanation:**

VM2: West US

In RG2, which is in West US, you need to create a new virtual machine named VM2.

VM2\_interface: East US

VM2 will use a network interface named VM2\_Interface to connect to VNET1, which is in East US.

References:

<https://docs.microsoft.com/en-us/azure/virtual-network/associate-public-ip-address-vm>

**QUESTION 111**

You have an Azure subscription that contains the web apps shown in the following table.

Name	Runtime stack
WebApp1	Java SE
WebApp2	Ruby 2.6
WebApp3	Python 3.7
WebApp4	ASP.NET V4.7

For which web app can you configure a WebJob?

- A. WebApp4
- B. WebApp3
- C. WebApp1
- D. WebApp2

**Answer:** A

**Explanation:**

Publishing a .NET Core WebJob to App Service from Visual Studio uses the same tooling as publishing an ASP.NET Core app.

References:

<https://docs.microsoft.com/en-us/azure/app-service/webjobs-dotnet-deploy-vs>

#### QUESTION 112

You create a container image named Image1 on a developer workstation.

You plan to create an Azure Web App for Containers named WebAppContainer that will use Image1.

You need to upload Image1 to Azure. The solution must ensure that WebAppContainer can use Image1.

To which storage type should you upload Image1?

- A. Azure Container Registry
- B. an Azure Storage account that contains a blob container
- C. an Azure Storage account that contains a file share
- D. Azure Container Instances

**Answer:** A

**Explanation:**

Configure registry credentials in web app.

App Service needs information about your registry and image to pull the private image. In the Azure portal, go to Container settings from the web app and update the Image source, Registry and save.

References:

<https://docs.microsoft.com/en-us/azure/devops/pipelines/targets/webapp-on-container-linux>

#### QUESTION 113

A company's development team is currently developing a Docker/Go based application. The application needs to be deployed to the Azure Web App service using containers on the Linux platform.

Currently there are no resource groups in place in the company's Azure account that supports the Linux platform.

You must advise on the necessary and minimum number of steps to provide the ability to host the application in the company's Azure account.

Which of the following Azure CLI commands would you recommend implementing for this requirement? (Choose three)

- A. az group update
- B. az webapp update
- C. az group create
- D. az appservice plan create
- E. az webapp create

**Answer:** CDE

**Explanation:**

[AZ-303 Exam Dumps](#) [AZ-303 Exam Questions](#) [AZ-303 PDF Dumps](#) [AZ-303 VCE Dumps](#)

<https://www.passleader.com/az-303.html>

<https://docs.microsoft.com/en-us/azure/app-service/containers/quickstart-docker-go>

**QUESTION 114**

A company has an on-premise setup and a setup defined in Azure. They have gone ahead and created an Azure Logic App named lead2pass-app. They need this app to query an on-premise SQL database server.

Which of the following steps need to be performed to fulfil this requirement? (Choose three)

- A. Create a Virtual Machine in Azure
- B. Install the On-premise data gateway on the Azure Virtual Machine
- C. From the Azure portal, create an on-premise data gateway
- D. On a computer in the on-premise network, install an on-premise data gateway
- E. From the Logic App Designer, add a connector



**Answer:** CDE

**Explanation:**

<https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-gateway-connection>

**QUESTION 115**

Your company needs to migrate a Virtual Machine, lead2pass-vm, hosted in Amazon Web Services to Azure using Azure Site Recovery. The following resources have been created for the implementation

- A Virtual Network in Azure
- A Replication Policy
- A Recovery Services vault
- An Azure storage account

Which of the following steps would you carry out for the migration? (Choose three)

- A. Install Azure Site Recovery Unified Setup
- B. Enable Windows Powershell remoting on whizlabs-vm
- C. Enable replication for whizlabs-vm
- D. Create an Azure Migrate project
- E. Deploy another server in Amazon Web Services as the configuration server

**Answer:** ACE

**Explanation:**

<https://docs.microsoft.com/en-us/azure/site-recovery/migrate-tutorial-aws-azure>

**QUESTION 116**

A company wants to sync their on-premise AD with Azure AD. They have setup Azure AD connect and configured the setup for Password hash synchronization, Single Sign-On and staging mode is also enabled. After an initial review it can be seen that the Synchronization Service Manager is not displaying any sync jobs.

Which of the following step would need to be carried out to resolve this issue?

- A. Be sure to configure, Azure AD for Pass-through Authentication
- B. Run a full import using the Service Manager
- C. From Azure AD Connect, ensure to disable staging mode
- D. Run a full import from the local on-premise AD

**Answer:** C

**Explanation:**

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-staging->

server

**QUESTION 117**

A company has an on-premise network. They want to setup a site-to-site VPN connection with an Azure Virtual Network named lead2pass-net. The Virtual Network has an address space of 10.0.0.0/16. It also has a subnet with an address space 10.0.0.0/24.

Which of the following steps would you implement for the Site to Site VPN connection? (Choose 4)

- A. Create a gateway subnet
- B. Create a new DNS domain
- C. Create a local gateway
- D. Create a data gateway
- E. Create a VPN gateway
- F. Create a VPN connection

**Answer:** ACEF

**Explanation:**

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-howto-site-to-site-resource-manager-portal>

**QUESTION 118**

A company has a number of VMWare Virtual Machines that need to be migrated onto Azure. You first have to discover and assess the virtual machines for the migration.

Which of the following steps would you implement for this requirement? (Choose 4)

- A. From the Azure Portal, download the OVA file
- B. Create a collector virtual Machine
- C. From the Azure Portal, download the Azure Site Recovery agent
- D. Configure the collector to start the discovery
- E. Create an assessment
- F. Create a backup policy



**Answer:** ABDE

**Explanation:**

<https://docs.microsoft.com/en-us/azure/migrate/tutorial-assessment-vmware>

**QUESTION 119**

A company is developing an ecommerce web application. One of the modules of the application will be built using a messaging solution architecture. The modules will have the following features

- A Workflow run for several items published on the web application.
- The Workflow would be built using Azure Logic Apps.
- The item data would be stored in Azure BLOB storage.

Which of the following would you additionally incorporate for the module?

- A. Azure Event Grid
- B. Azure Event Hub
- C. Azure HDInsight
- D. Azure Service Bus

**Answer:** D

**Explanation:**

Option A is incorrect since this is normally used for event processing.

Option B is incorrect since this is a big data ingestion service.

Option C is incorrect since this is an analytics service.

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-messaging-overview>

#### QUESTION 120

A company has a set of 10 Virtual Machines created in their Azure subscription.

There is a requirement to ensure that an IT administrator gets an email whenever the following operations are performed on the Virtual Machine

- Restart of the machine
- Whenever the machine is deallocated
- Whenever the machine is powered off

You need to decide on the minimum number of rules and actions groups required in Azure Monitor for this requirement. (Choose two)

- A. Three rules
- B. One rule
- C. One action group
- D. Three action groups

**Answer:** AC

**Explanation:**

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/alerts-overview>

#### QUESTION 121

A company is preparing their Azure environment for the backup of their Azure Virtual Machines.

They need to ensure the following when it comes to the backup of the Virtual Machines:

- The Virtual machines need to be backed up daily at 03:00 UTC time
- The backups should be retained for a period of 90 days

Which of the following should you configure in Azure Recovery Services vault?

- A. Backup Policy
- B. Backup Schedule
- C. Backup Logs
- D. Backup Infrastructure

**Answer:** A

**Explanation:**

<https://docs.microsoft.com/en-us/azure/backup/backup-introduction-to-azure-backup>

#### QUESTION 122

A company has a web application named lead2pass-app deployed to Azure. The Web App is deployed using the Azure App Service based on the D1 pricing tier. The application is now being modified and needs to accept connections on HTTPS. Which of the following needs to be done to ensure this requirement can be fulfilled? You have to ensure that the cost is minimized for any changes made.

- A. Scale out the App Service Plan
- B. Scale up the App Service Plan
- C. Change the properties of the Web App
- D. Change the Quota of the Web App

**Answer:** B

**Explanation:**

[AZ-303 Exam Dumps](#) [AZ-303 Exam Questions](#) [AZ-303 PDF Dumps](#) [AZ-303 VCE Dumps](#)

<https://www.passleader.com/az-303.html>

Option A is incorrect since this option is used for Autoscaling purpose.

Options C and D are incorrect since these are read-only features.

<https://azure.microsoft.com/en-us/pricing/details/app-service/plans/>

#### QUESTION 123

A company is planning on deploying a storage account which will be used to host files shares. These file shares will be used by a number of Virtual Machines hosted in Azure. There is a requirement to ensure the highest possible redundancy for the files that would be stored in the storage account. Which of the following replication technique would you "NOT" employ for the storage account?

- A. Locally redundant storage (LRS)
- B. Zone-redundant storage (ZRS)
- C. Geo-redundant storage (GRS)
- D. Read-access geo-redundant storage (RA-GRS)

**Answer:** D

**Explanation:**

<https://docs.microsoft.com/en-us/azure/storage/files/storage-files-planning#file-share-redundancy>

#### QUESTION 124

A development team has been instructed to implement a simple solution in Azure. The primary requirement is to ensure that an IT administrator team is notified whenever any infrastructure level changes are made to a virtual machine defined in their Azure subscription.

Which of the following steps can be used to implement this solution? (Choose two)

- A. Create a workflow using the Azure Logic App service
- B. Create a workflow using the Azure Event Grid service
- C. Use the Event Grid service to check for Virtual Machine level changes
- D. Use the Event Hub service to check for Virtual Machine level changes

**Answer:** AC

**Explanation:**

Option B is incorrect since workflows should be defined in the Azure Logic App service.

Option D is incorrect since the Event Hub service is NOT used to check for resource level changes.

<https://docs.microsoft.com/en-us/azure/event-grid/monitor-virtual-machine-changes-event-grid-logic-app>

#### QUESTION 125

Drag and Drop Question

You are the IT administrator for an Azure subscription that contains 20 virtual machines (VMs).

You need to write a Log Analytics query to determine which VMs have not been responsive within the past hour.

How should you complete the query? To answer, drag the appropriate query elements to their correct locations in the answer area. A query element may be used once, more than once, or not at all.

|

> < Perf where ago(1h)  
Heartbeat TimeGenerated

Answer:

Heartbeat |  
where TimeGenerated > ago(1h) ✓

< Perf

**Explanation:**

You should use the following query:

Heartbeat | where TimeGenerated > ago(1h)

This query finds all computers that have had a heartbeat within the past hour. Computers send a heartbeat to let Azure know that they are responsive. The ago(1h) means the timestamp is one hour ago. If TimeGenerated is greater than that timestamp, the heartbeat occurred within the past hour.

You should not use Perf as a source. This source looks at performance counters. In this scenario, you need to search the Heartbeat source, not performance counters.

You should not use the following query:

Heartbeat | where TimeGenerated < ago(1h)

This query finds all computers that have sent a heartbeat before one hour ago.

**QUESTION 126**

Drag and Drop Question

An Azure key vault named measureup exists in your company's cloud subscription. You want to store a password in the key vault. The password is S3449PT!@90Q.

The name of the entry should be ApplicationPassword. The password should not be stored as plain text.

You need to use PowerShell to store the password in the key vault.

How should you complete the cmdlets? To answer, drag the cmdlets to the appropriate locations in the answer area. A cmdlet may be used once, more than once, or not at all.

```
$value = [input] 'S3449PT!@90Q'
- [input] -Force

[input] -VaultName 'measureup' -Name 'ApplicationPassword'
- [input] $value
```

Add-AzureKeyVaultKey	AsPlainText	ConvertTo-SecureString
SecretValue	Set-AzureKeyVaultSecret	

**Answer:**

```
$value = ConvertTo-SecureString 'S3449PT!@90Q'
- AsPlainText -Force

Set-AzureKeyVaultSecret -VaultName 'measureup' -Name 'ApplicationPassword'
- SecretValue $value
```

Add-AzureKeyVaultKey	[input]	[input]
[input]	[input]	[input]

**Explanation:**

You should use the following cmdlets:

```
$value = ConvertTo-SecureString 'S3449PT!@90Q' -AsPlainText - Force
Set-AzureKeyVaultSecret -VaultName 'measureup' -Name 'ApplicationPassword' -Sec ret Value $value
```

The ConvertTo-SecureString cmdlet converts a plain text value into a secure (encrypted) string. This meets the requirement of the password not being stored as plain text. The first parameter to this cmdlet is the string to convert. The -AsPlainText parameter indicates that the string to convert is plain text. The -Force parameter must be used when -AsPlainText is used to verify that you understand the implications of using -AsPlainText.

The Set-AzureKeyVaultSecret cmdlet stores the password in the key vault with the name specified as the -Name parameter. The -SecretValue parameter specifies the secret. In this scenario, the secret is the encrypted password.

You should not use Add-AzureKeyVaultKey. This cmdlet generates a software or hardware key and saves it in a key vault. In this scenario, you need to store a known secret, not generate a key.

**QUESTION 127**

Drag and Drop Question

You are the cloud administrator for your company. You want to take advantage of Event Grid so that Service Bus and blob storage events are captured.

You need to use Azure CLI to enable your Azure subscription to send events to Event Grid.

How should you write the command? To answer, drag the appropriate command segment to each location. A command segment may be used once, more than once, or not at all.

az    
--

**Answer:**

az    
--

?

**Explanation:**

You should use the following command:

```
az provider register --namespace Microsoft.EventGrid
```

This command registers the Event Grid resource provider. This allows your subscription to send events to Event Grid.

You should not use the eventgrid or create command segments. These two segments allow you to create an Event Grid subscription to either a custom topic or to a resource.

**QUESTION 128**

You pull a Dockerfile from an online repository. You build a container image from this file, and you want to add it to an Azure Container Registry named mytestreg. The name of image is my-test-app. You need to deploy the image to the registry.

Which command should you run from your developer computer?

- A. az container create -name mytestreg -image my-test-app
- B. az acr create -name mytestreg\my-test-app
- C. docker push mytestreg.azurecr.io/my-test-app
- D. docker run -p mytestreg my-test-app

**Answer: C**

**Explanation:**

You should use the following command: docker push mytestreg.azurecr.io/my-test-app

This command pushes the image named my-test-app to an Azure login server named mytestreg.azurecr.io. You should not use the following command: docker run -p mytestreg my-test-app

This command runs a container locally. In this scenario, you need to deploy the container image.

You should not use the following command: az acr create --name mytestreg\my-test-app The az acr create command creates an Azure Container Registry.

You should not use the following command:

```
az container create --name mytestreg --image my-test-app
```

The az container create command creates a container instance in Azure.