

Aim

• In this Lecture we are going to see how we can capture handshake packets with Hcxdumptool

We are going to see different methods to crack this handshake with Hashcat (GPU based cracker) in the subsequent lectures

Capturing Handshakes is the first step and most important step for cracking wifi password. Hcxdumptool provides another method to capture the handshakes and is the recommended method to capture packets by Hashcat developers which is another excellent password cracking tool



Hcxdumptool is an easy and straightforward way to capture handshakes.

- ✓ You do not need to de authenticate the clients
- You can capture handshakes in bulk for all available networks which makes the whole process much simpler



Installing Hcxdumptool

By default, the tool does not come with Kali linux and you may need to install it

Update the kali linux packages

>sudo apt-get update



Install the tool

>sudo apt-get install hcxdumptool

(kali@ kali)-[~]
 sudo apt-get install hcxdumptool
Reading package lists ... Done
Building dependency tree ... 50%

I

100

Check the wifi adapters available on your machine

>iwconfig

Check the device name

<pre>[kali⊕kali)-[~] \$ iwconfig lo no wireless extensions.</pre>											
eth0	no wireless extensions.										
wlan0mon	IEEE 802.11 Mode:Monitor Retry short long limit:2 Power Management:off	Frequency:2.457 GHz Tx-Power=20 dBm RTS thr:off Fragment thr:off									

Stop the services that may interfare with handshake capture

>sudo systemctl stop NetworkManager
>sudo systemctl stop wpa_supplicant

After the handshake is captured you can restart the services with following command

>sudo systemctl start NetworkManager

Scan for available networks

>sudo hcxdumptool -i wlan0 --do_rcascan

F				kali@kali: ~			_ = ×				
File	Actio	ons	Edit	View	Help)					
BSSI -RATI	[D [0: 0	63%	FREQ [18:59	CH 9:52]	RSSI	BEACON	RESPONSE	ESSID	SCAN-FREQ:	2467	INJECTION
c0f6	ic25e	8d20	2437	6	- -83	19	7	Home			
1c44	194a	7c66	2437	6	-89	16	5	Nomi			
6ac6	i3acc	57c8	2412	1	-89	2	5	ORIENT	-68C63ACC57	C8	
5010	19398	12fc	2462	11	-91	1	4	wifi	I		

Capture traffic with hcxdumptool

> sudo hcxdumptool -i wlan0 -o dumpfile.pcapng –active_beacon –enable_status=15

Here :

dumpfile.pacapng is the file where handshake will be stored

-wlan0mon is the interface name.

Step-4 Capture traffic with hcxdumptool > sudo hcxdumptool -i wlan0 -o dumpfile.pcapng –active_beacon –enable_status=15 (kali@kali)-[~] sudo hcxdumptool -i wlan0 -o dumpfile.pcapng -active_beacon -enable_status=15 start capturing (stop with ctrl+c) NMEA 0183 SENTENCE..... N/A PHYSICAL INTERFACE..... phy0 INTERFACE NAME..... wlan0 INTERFACE PROTOCOL..... IEEE 802.11 INTERFACE TX POWER...... 20 dBm (lowest value reported by the device) INTERFACE HARDWARE MAC....: 90f652caf1de (not used for the attack) INTERFACE VIRTUAL MAC.....: 90f652caf1de (not used for the attack) DRIVER....: rt2800usb DRIVER VERSION..... 5.10.0-kali9-686-pae DRIVER FIRMWARE VERSION ... : 0.36 openSSL version.....: 1.0 ERRORMAX..... 100 errors BPF code blocks..... 0 FILTERLIST ACCESS POINT ... : 0 entries FILTERLIST CLIENT.....: 0 entries FILTERMODE..... unused WEAK CANDIDATE..... 12345678

After a minute or two, stop the capture with Ctrl+C and you will have your captured packets file stored in your home directory





Additional Resources

Hcxdumptool references

- <u>https://miloserdov.org/?p=7801</u>
- <u>https://github.com/ZerBea/hcxdumptool</u>

